CHECKLIST FOR TENTS

NOTE: Tents are not allowed only on a temporary basis.

Definition of 'Tent' – a temporary structure, the covering of which is made of pliable material that achieves its support by mechanical means such as beams, columns, poles or arches, or by rope or cables, or both (NFPA 101-3.3.201)

	All code references are to NFPA 102, 1995 edition, unless otherwise noted.						
1)	Y N Tent covers a ma		N/A % of premises. (102:8.2)				
2)	Y N The fabric of the by an approved p	tent is flame	resistant. This is proven by certificate or inspection				
3)	Y N There are ten fee	et or less betw	N/A een stake lines. (102: 8.5.1)***				
4)	Note: Where ten	nts are spaced In feet between	N/A to provide an area for means of egress. the stake lines does not meet required means of e shall govern. (102:8.5.2)***				
5)		osed in the ter	N/A nt and within ten feet of tent is clear of vegetation ception: Areas necessary for support equipment.				
6)	Y N Smoking is not a		N/A tent except by the AHJ. (102:9.2.4)				
7)	Y N Fire extinguisher	rs are required	N/A I. (102:9.3.3)				
8)	Y N Only labeled and	approved he	N/A aters are used. (102.10.2.1.1 and 102: 10.2.1.2)				
9)	Y N Fuel-fired heater		N/A tion approved by AHJ. (102:10.2.1.2)				
10)	Y N Liquid petroleun traffic. (102:10.2	n gas containe	ers further than 5 feet, upright and protected from				

11) Y	N	N/A		
Electric 1	heaters are coni	nected to electricity	y by a cable sufficien	t to handle load
(102:10.	2.2.3)			

*** Exceptions to the above conditions:

Tents not occupied by the public or that store combustible materials. Tents located on fairgrounds or other similar spaces that are less that 1200 feet (102:8.5.2)