RESOLUTION 2017 - 117

[Amended Saint Johns DRI Development Order]

A resolution of the Board of County Commissioners of the County of St. Johns, State of Florida, modifying the Saint Johns DRI Development Order as previously approved by St. Johns County Resolution Nos. 91-130, 91-183, 94-211, 95-06, 96-102, 96-233, 98-126, 98-179, 99-20, 99-173, 2002-53, 2003-116, 2004-133, 2006-290 and 2011-335; finding the modifications are consistent with St. Johns County Comprehensive Plan 2025, Ordinance 2010-38, and consistent with the St. Johns County Land Development Code; finding that the modifications do not constitute a substantial deviation; and providing for an effective date.

WHEREAS, on August 27, 1991, a Development of Regional Impact Development Order (the "Development Order") was issued by the Board of County Commissioners of St. Johns County, pursuant to Resolution No. 91-130, authorizing development of the property known as Saint Johns; and,

WHEREAS, the Development Order was modified by the Board by adoption of Resolution No. 91-183, incorporating Development Order changes pursuant to the Settlement Agreement between the Department of Community Affairs (the "DCA"), the Developer, and St. Johns County; and,

WHEREAS, the Development Order was subsequently amended by the Board by adoption of Resolution 94-211, Resolution 95-06, Resolution 96-102, Resolution 96-233, Resolution 98-126, Resolution 98-179, Resolution 99-20, Resolution 99-173, Resolution 2002-53, Resolution 2003-116, Resolution 2004-133, Resolution 2006-290, and Resolution 2011-335; and

WHEREAS, the Developer has submitted a Development Order Modification to the Development of Regional Impact dated May 31, 2016, requesting modification of certain terms of the Development Order and Map H; and,

WHEREAS, there is clear and convincing evidence contained in the Development Order Modification in accordance with Subsection 380.06(19)(e)(5) of the Florida Statutes to rebut the presumption that the requested changes create a substantial deviation of the DRI; and,

WHEREAS, the changes proposed in the Development Order Modification do not constitute a substantial deviation pursuant to the terms of Section 380.06(19) of the current Florida Statutes; and,

WHEREAS, the Board has reviewed the Development Order Modification at a public hearing held on _________.

NOW, THEREFORE, be it resolved by the Board of Gounty Commissioners of St. Johns County, Florida:

IS A TRUE AND CORRECT COPY AS APPEARS ON RECORD IN ST. JOHNS COUNTY, FLORIDA

1. The following facts are determined in connection with this Resolution D OFFICIAL SEAL

ST. JOHNS COUNTY CLERK OF COURT Ex-Officio Clerk of the Board of County Commissioners

BY: Pam Latterman

D.C.

- a. The existing Development Order as previously amended and as modified by the Resolution, is consistent with the St. Johns County Comprehensive Plan 2025, adopted August 17, 2010, in Ordinance 2010-38, as modified.
- b. The existing Development Order as previously amended and as modified by this Resolution, is consistent with the St. Johns County Land Development Code.
- 2. The legal description of the property within the Saint Johns DRI is attached as Exhibit "A" to this Resolution. The Application for Development Approval ("ADA"), Response to Request for Additional Information submitted January 30, 1991, and Response to Second Request for Additional Information submitted March 18, 1991, are described on Exhibit B to Resolution 91-130 and the development shall be carried out in conformance with the ADA as approved by Resolution No. 91-130 as previously modified by Resolutions 91-183; 94-211; 95-06; 96-102; 96-233, 98-126, 98-179, 99-20, 99-173, 2002-53, 2003-116, 2004-133, 2006-290, 2011-335 and as further modified by this Resolution.
- 3. The Development Order adopted by Resolution 91-130, as amended by Resolutions 91-183, 94-211, 95-06, 96-102, 96-233, 98-126, 98-179, 99-20, 99-173, 2002-53, 2003-116, 2004-133, 2006-290 and 2011-335, is hereby modified by approval of the changes requested in the Development Order Modification as reflected in the blacklined version of the changes to the Development Order attached as Exhibit "B" to this Resolution and are as follows:
 - a. Modifies Master Development Plan, Map H, attached to this Resolution as Exhibit "C" for the Interchange Northeast Quadrant parcels to include Single-Family Age-Restricted (SFAR) and Multi-Family Age-Restricted (MFAR) as allowable uses in parcels 1 through 8, 13, and 14, adds Commercial uses to parcels 9, 10.1, 10.2, 11, 12, and 13, adds limited Commercial uses to parcel 14, restricts Residential uses within the Interchange Northeast Quadrant if Industrial uses are developed within the Interchange Northeast Quadrant, and restricts Industrial uses within the Interchange Northeast Quadrant if Residential uses are developed within the Interchange Northeast Quadrant.
 - b. Amends DO Specific Condition II.A to allow for the exchange of uses within the Interchange Parcels PUD within the DRI using a Land Use Equivalency Table. The proposed Land Use Equivalency Table is added to the DO and is attached to this resolution as Exhibit "D".
 - c. Incorporates the legislative extensions that have been granted to extend the DRI termination, build-out, downzoning protection, and phase and related mitigation expiration dates as specified in Exhibit "B".
- 4. The remainder of the Amended and Restated Development Order Conditions for the Saint Johns Development of Regional Impact is unchanged.
- 5. Except as modified by this Resolution, the Saint Johns DRI Development Order shall remain in full force and effect.

	6.	This Resolution shall become effective immediate	y u	pon adoption.
--	----	--	-----	---------------

Passed and approved by the Board of County Commissioners of St. Johns County, Florida, this _________, day of __Apr:_______________, 2017.

BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA

RENDITION DATE: 4/6/17

ATTEST:

HUNTER S. CONRAD

Deputy Clerk

Exhibit "A" to Resolution

[Legal Description of Saint Johns DRI]



Advancing Quality of Life, by Design a

1900 Corporate Square Blvd. * Jucksonville. FL 32216 904.721.2991 * FAX: 904.861.2450

ST. JOHNS INTERCHANGE TRACT NORTHWEST QUADRANT

ALL OF SECTION 3, LYING WEST OF INTERSTATE 95 RIGHT-OF-WAY, ALL OF SECTION 10, LYING WEST OF INTERSTATE 95 RIGHT-OF-WAY, ALL OF SECTION 15 LYING WEST OF INTERSTATE 95 RIGHT-OF-WAY, ALL OF SECTION 43 LYING WEST OF INTERSTATE 95 RIGHT-OF-WAY, ALL OF SECTION 44, TOGETHER WITH A PART OF SECTION 38 OF THE ANTONIO HUERTAS GRANT LYING NORTHWEST OF INTERNATIONAL GOLF PARKWAY, ALL LYING IN TOWNSHIP 6 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, MORE PARTICULARLY DESCRIBED AS FOLLOWS: FOR A POINT OF REFERENCE, COMMENCE AT THE SOUTHEAST CORNER OF SAID SECTION 10; THENCE SOUTH 89°32'10' WEST ALONG THE SOUTH LINE OF SAID SECTION 10 TO ITS INTERSECTION WITH THE WESTERLY RIGHT-OF-WAY LINE OF THE RAMP LEADING FROM INTERSTATE 95 TO INTERNATIONAL GOLF PARKWAY (A RIGHT-OF-WAY OF VARYING WIDTH), A DISTANCE OF 300.10 FEET TO THE POINT OF BEGINNING; THENCE SOUTH 05°35'47" WEST ALONG SAID RIGHT-OF-WAY LINE, A DISTANCE OF 798.06 FEET TO THE POINT OF CURVE OF A CURVE, SAID CURVE BEING CONCAVE NORTHWESTERLY HAVING A RADIUS OF 336.00 FEET; THENCE SOUTHWESTERLY ALONG THE NORTHWESTERLY RIGHT-OF-WAY LINE OF SAID RAMP AND ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 209.65 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING SOUTH 23°28'17" WEST AND A CHORD DISTANCE OF 206.26 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 41°20'46" WEST CONTINUING ALONG SAID NORTHWESTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 224.57 FEET TO AN ANGLE POINT IN SAID RIGHT-OF-WAY LINE; THENCE SOUTH 44°29'54" WEST CONTINUING ALONG SAID RIGHT-OF-WAY LINE, A DISTANCE OF 562.78 FEET; THENCE SOUTH 45°30'06" EAST CONTINUING ALONG SAID RIGHT-OF-WAY LINE, A DISTANCE OF 81.00 FEET TO A POINT ON THE NORTHWESTERLY RIGHT-OF-WAY LINE OF SAID INTERNATIONAL GOLF PARKWAY; THENCE SOUTH 44°29'54" WEST ALONG SAID RIGHT-OF-WAY LINE OF INTERNATIONAL GOLF PARKWAY, A DISTANCE OF 484.97 FEET TO THE POINT OF CURVE OF A CURVE, SAID CURVE BEING CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 3531.68 FEET; THENCE SOUTHWESTERLY CONTINUING ALONG SAID NORTHWESTERLY RIGHT-OF-WAY LINE AND ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 291.44 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING OF SOUTH 42°08'03" WEST AND A CHORD DISTANCE OF 291.36 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 39°46'13" WEST CONTINUING ALONG SAID RIGHT-OF-WAY LINE, A DISTANCE OF 193.96 FEET TO AN ANGLE POINT IN SAID RIGHT-OF-WAY LINE; THENCE SOUTH 44°29'54" WEST CONTINUING ALONG SAID RIGHT-OF-WAY LINE, A DISTANCE OF 3897.58 FEET TO AN ANGLE POINT IN SAID RIGHT-OF-WAY LINE: THENCE SOUTH 50°29'50" WEST CONTINUING ALONG SAID NORTHWESTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 2492.30 FEET TO A POINT AT THE SOUTHEASTERLY CORNER OF THE UTILITY SITE AS RECORDED IN OFFICIAL RECORDS BOOK 1095, PAGE 1592 OF THE PUBLIC RECORDS OF SAID COUNTY; THENCE NORTH 53°13'38" WEST LEAVING SAID NORTHWESTERLY RIGHT-OF-WAY LINE AND ALONG THE SOUTHERLY LINE OF SAID UTILITY SITE

ERMO4/051.CJS/88211.SX

AND ITS WESTERLY PROLONGATION THEREOF, A DISTANCE OF 2224.53 FEET; THENCE NORTH 14.55.52" EAST ALONG THE NORTHWESTERLY LINE OF AFORESAID SECTION 44 AND ITS SOUTHWESTERLY PROJECTION THEREOF, A DISTANCE OF 7123.49 FEET TO THE NORTHWESTERLY CORNER OF SAID SECTION 44; THENCE NORTH 16°14'53" EAST ALONG THE NORTHWESTERLY LINE OF AFCRESAID SECTION 43, A DISTANCE OF 2983.85 FEET TO A POINT ON SAID NORTHWESTERLY LINE OF SECTION 43; THENCE NORTH 01°01'14" WEST ALONG THE WEST LINE OF AFCRESAID SECTIONS 10 AND 3 TO THE NORTHWEST CORNER OF SAID SECTION 3, A DISTANCE OF 6098.77 FEST; THENCE NORTH 88°54'53" EAST ALONG THE LINE DIVIDING TOWNSHIP 5 SOUTH AND TOWNSHIP 6 SOUTH, ALSO BEING THE NORTH LINE OF SAID SECTION 3 TO ITS INTERSECTION WITH THE SOUTHWESTERLY RIGHT-OF-WAY LINE OF SAID INTERSTATE 95 (A 300 FOOT RIGHT-OF-WAY AS NOW ESTABLISHED), A DISTANCE OF 136.16 FEET; THENCE SOUTH 27°32'59* EAST ALONG SAID SOUTHWESTERLY RIGHT-OF-WAY LINE OF INTERSTATE 95, A DISTANCE OF 10,169.46 FEET; THENCE SOUTH 24"32'59" EAST LEAVING SAID SOUTHWESTERLY RIGHT-OF-WAY LINE OF INTERSTATE 95 AND ALONG THE AFORESAID WESTERLY RIGHT-OF-WAY LINE OF THE RAMP LEADING TO INTERNATIONAL GOLF PARKWAY, A DISTANCE OF 676.83 FEET TO THE POINT OF CURVE OF A CURVE, SAID CURVE BEING CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 1051.92 FEET; THENCE SOUTHERLY CONTINUING ALONG SAID WESTERLY RIGHT-OF-WAY LINE AND ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 553.47 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING OF SOUTH 09°28'36" EAST AND A CHORD DISTANCE OF 547.10 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 05°35'47" WEST CONTINUING ALONG SAID WESTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 322.93 FEET TO THE POINT OF BEGINNING.

CONTAINING 1430.56 ACRES MORE OR LESS.

\$71.04/051.CJS/28311.62

ο.



Advancing Quality of Life, by Design .

1900 Corporate Square Blvd. + Jacksonville, FL 32216 904.721.2991 + FAX: 904.861.2450

ST. JOHNS INTERCHANGE TRACT SOUTHEAST QUADRANT

A PART OF THE ANTONIO HUERTAS GRANT, SECTION 18, TOGETHER WITH A PART OF GOVERNMENT LOTS 1 AND 2, SECTION 14 ALL LYING IN TOWNSHIP E SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

FOR A POINT OF REFERENCE, COMMENCE AT THE NORTHEAST CORNER OF SAID SECTION 14; THENCE SOUTH 85°32'10" WEST ALONG THE NORTH LINE OF SAID SECTION 14 AND ALONG THE CENTERLINE OF INTERNATIONAL GOLP PARKWAY (A 66 FOOT RIGHT-OF-WAY AS NOW ESTABLISHED), A DISTANCE OF 1390.41 FEET; THENCE SOUTH 00°24'16" WEST, A DISTANCE OF 33.00 FEET TO THE INTERSECTION OF THE SOUTHERLY RIGHT-OF-WAY LINE OF SAID INTERNATIONAL GOLF PARKWAY WITH THE WESTERLY RIGHT-OF-WAY LINE OF FRANCIS ROAD (A 66 FOOT RIGHT-OF-WAY AS NOW ESTABLISHED), SAID POINT BEING THE POINT OF BEGINNING; THENCE CONTINUE SOUTH 00°24'16" WEST ALONG SAID WESTERLY RIGHT-OF-WAY LINE OF FRANCIS ROAD, A DISTANCE OF 1183.66 FEET TO THE POINT OF CURVE OF A CURVE, SAID CURVE BEING CONCAVE WESTERLY HAVING A RADIUS OF 583.89 FEET; THENCE SOUTHERLY CONTINUING ALONG SAID WESTERLY RIGHT-OF-WAY LINE OF FRANCIS ROAD AND ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 214.72 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING OF SOUTH 10°56'22" WEST AND A CHORD DISTANCE OF 213.51 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 21°28'28" WEST CONTINUING ALONG SAID WESTERLY RIGHT-OF-WAY LINE OF FRANCIS ROAD, A DISTANCE OF 206.71 FEET; THENCE SOUTH 81°19'58" WEST LEAVING SAID WESTERLY RIGHT-OF-WAY LINE OF FRANCIS ROAD, A DISTANCE OF 198.00 FEET; THENCE SOUTH 21°28'28" WEST, A DISTANCE OF 216.68 FEET; THENCE SOUTH 81°19'58" WEST, A DISTANCE OF 435.88 FEET; THENCE SOUTH 25°06'46" WEST, A DISTANCE OF 281.02 FEET; THENCE SOUTH 81°18'57" WEST, A DISTANCE OF 649.70 FEET; THENCE SOUTH 12°19'58" EAST, A DISTANCE OF 148.69 FEET; THENCE SOUTH 81º19'58" WEST ALONG A LINE TO ITS INTERSECTION WITH THE NORTHEASTERLY RIGHT-OF-WAY LINE OF INTERSTATE 95 (A 300 FOOT RIGHT-OF-WAY AS NOW ESTABLISHED), A DISTANCE OF 598.47 FEET; THENCE NORTH 27"32'59" WEST ALONG SAID NORTHEASTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 154.32 FEET; THENCE NORTH 24°32'59" WEST LEAVING SAID NORTHEASTERLY RIGHT-OF-WAY LINE AND ALONG THE EASTERLY RIGHT-OF-WAY LINE OF THE RAMP LEADING FROM INTERSTATE 95 TO AFORESAID INTERNATIONAL GOLF PARKWAY, A DISTANCE OF 676.83 FEET TO THE POINT OF CURVE OF A CURVE, SAID CURVE BEING CONCAVE EASTERLY HAVING A RADIUS OF 1051.92 FEET; THENCE NORTHERLY CONTINUING ALONG SAID EASTERLY RIGHT-OF-WAY LINE AND ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 593.01 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING OF NORTH 08°23'59" WEST AND A CHORD DISTANCE OF 585.19 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 07°45'01" EAST CONTINUING ALONG SAID EASTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 682.79 FEET TO THE POINT OF CURVE OF A

SAL04/052.035/82211.62

7 .

CURVE, SAID CURVE BEING CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 336.00 FEET; THENCE NORTHEASTERLY CONTINUING ALONG SAID EASTERLY RIGHT-OF-WAY LINE AND ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 412.57 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING OF NORTH 42°55'36" EAST AND A CHORD DISTANCE OF 387.14 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 78°06'12" EAST ALONG THE SOUTHEASTERLY RIGHT-OF-WAY LINE OF SAID RAMP, A DISTANCE OF 210.20 FEET TO THE POINT OF CURVE OF A CURVE, SAID CURVE BEING CONCAVE SOUTHERLY HAVING A RADIUS OF 3690.72 FEET; THENCE EASTERLY CONTINUING ALONG THE SOUTHERLY RIGHT-OF-WAY LINE OF SAID RAMP AND ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 417.77 FEET, SAID ARC BRING SUBTENDED BY A CHORD BEARING OF NORTH 86°17'36" EAST AND A CHORD DISTANCE OF 417.55 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 89°32'10" EAST CONTINUING ALONG SAID SOUTHERLY RIGHT-OF-WAY LINE OF SAID RAMP, A DISTANCE OF 882.93 FEET TO AN ANGLE POINT IN SAID RIGHT-OF-WAY LINE; THENCE NORTH 71°47'29" EAST CONTINUING ALONG SAID SOUTHERLY RIGHT-OF-WAY LINE TO ITS INTERSECTION WITH THE AFOREMENTIONED SOUTHERLY RIGHT-OF-WAY LINE OF INTERNATIONAL GOLF PARKWAY, A DISTANCE OF 314.99 FEET; THENCE NORTH 89°32'10" EAST ALONG SAID SOUTHERLY RIGHT-OF-WAY LINE OF INTERNATIONAL GOLF PARKWAY, A DISTANCE OF 429.76 FEET TO THE POINT OF BEGINNING.

CONTAINING 114.06 ACRES MORE OR LESS.

INTENDED TO BE THE SAME LANDS AS THOSE DESCRIBED IN OFFICIAL RECORDS VOLUME 837, PAGE 810, LESS AND EXCEPT THE INTERCHANGE PARCEL CONVEYED TO FLORIDA DEPARTMENT OF TRANSPORTATION.

SRL04/052.CJ5/88311.62

. ว



Advancing Quality of Life, by Design .

1900 Corporate Square Blvd. • Jacksonville, FL 32216 904.721.3991 • FAX: 904.661.2450

SAINT JOHNS INTERCHANGE TRACT NORTHEAST QUADRANT

PART OF SECTIONS 2 AND 3 TOGETHER WITH ALL OF SECTION 10 LYING EAST OF INTERSTATE 95 RIGHT-OF-WAY (A VARIABLE RIGHT-OF-WAY WIDTH BY DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAP SECTION 78080-2431) TOGETHER WITH ALL OF SECTION 11 LESS AND EXCEPT THE EAST 1/2 OF, AND THE SOUTHEAST 1/4 OF THE SOUTHWEST 1/4 AND THAT PART LYING IN AND WEST OF INTERSTATE 95 RIGHT-OF-WAY, ALL LYING IN TOWNSHIP 6 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

FOR A POINT OF REFERENCE, COMMENCE AT THE SOUTHWEST CORNER OF SECTION 11; THENCE NORTH 89°32'10° EAST ALONG THE SOUTH LINE OF SAID SECTION 11; A DISTANCE OF 1325.00 FEET; THENCE NORTH 00°23'04° EAST ALONG THE WEST LINE OF SAID SOUTHEAST 1/4 OF THE SOUTHMEST 1/4 OF SECTION 11 TO ITS INTERSECTION WITH THE MORTHEASTERLY RIGHT-OF-INTERSTATE 95, A DISTANCE OF 102.42 FEET, SAID POINT BEING THE NORTHEASTERLY RIGHT-OF-INTERSTATE 95, A DISTANCE OF 102.42 FEET, SAID POINT BEING THE NORTHEASTERLY AND HAVING A RADIUS OF 706.00 FEET; THENCE NORTHEASTERLY ALONG SAID POINT LYING ON A CURVE, CONCAVE NORTHEASTERLY ALONG SAID NORTHEASTERLY RIGHT-OF-WAY LINE OF 107.215.81 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING OF OF 215.81 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING OF POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 57°09'40° WEST OF 1048.98 FEET. TO THE POINT OF CURVE OF A CURVE, A DISTANCE OF 1048.98 FEET. TO THE POINT OF CURVE OF A CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 1051.92 FEET; THENCE NORTHEASTERLY CONTINUING ALONG SAID NORTHEASTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 1048.98 FEET. TO THE POINT OF CURVE OF A CURVE, CONCAVE NORTHEASTERLY CONTINUING ALONG SAID NORTHEASTERLY RIGHT-OF-WAY LINE AND ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 528.69 FEET, AND A CHORD DISTANCE OF 528.69 FEET, AND A CHORD DISTANCE OF 528.69 FEET, AND A CHORD DISTANCE OF 523.14 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTHEASTERLY RIGHT-OF-WAY LINE OF THE RAMP LEADING FROM NORTHEASTERLY RIGHT-OF-WAY LINE OF THE RAMP LEADING FROM NORTHEASTERLY RIGHT-OF-WAY LINE OF THE FOINT OF TANGENCY OF SAID CURVE; THENCE NORTH 28°21'52" WEST CONTINUING ALONG SAID NORTHEASTERLY RIGHT-OF-WAY LINE OF THE RAMP LEADING FROM INTERNATIONAL GOLF PARKWAY TO INTERSTATE 95 TO ITS INTERSECTION NORTHEASTERLY RIGHT-OF-WAY LINE OF THE RAMP LEADING FROM NORTHEASTERLY RIGHT-OF-WAY LINE OF THE RAMP LEADING FROM OF WITH THE NORTHEASTERLY RIGHT-OF-WAY LINE OF THE SOUTHWEST 1/4 OF THEMES OUTHWEST 1/4 OF THEMES OUTHWEST 1/4 OF THEMES OUTHWEST 1

CONTAINING 388,30 ACRES MORE OR LESS.

TOGETHER WITH THE FOLLOWING DESCRIBED

(INGRESS & EGRESS EASEMENT BY OFFICIAL RECORDS BOOK 819, PAGE 1538)

Di/guzvel/Legals/sjb/nequad.wpd

EXHIBIT "A" PAGE 5 OF 13

PART OF SECTION 11, TOWNSHIP 6 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, MORE PARTICULARLY DESCRIBED AS FOLLOWS: FOR A POINT OF REFERENCE, COMMENCE AT THE SOUTHWEST CORNER OF SAID SECTION 11; THENCE NORTH 89°32'10" EAST ALONG THE SOUTH LINE OF SAID SECTION 11, A DISTANCE OF 1325.00 FEET; THENCE NORTH 00°23'04" OF SAID SECTION 11 TO ITS INTERSECTION WITH THE NORTHERSTERLY OF SAID SECTION 11 TO ITS INTERSECTION WITH THE NORTHERSTERLY RIGHT-OF-WAY LINE OF THE RAMP LEADING FROM NINE MILE ROAD TO TRANSPORTATION RIGHT-OF-WAY MAD SECTION 78080-2431), A DISTANCE OF 102.42 FEET, SAID POINT BEING THE FOINT OF EEGINNING; THENCE CONTINUE NORTH 00°23'04" EAST, A DISTANCE OF 212.70 FEET TO A POINT RADIUS OF 625.00 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE, SAID CURVE ESING CONCAVE NORTHERLY HAVING A CURVE, AN ARC DISTANCE OF 610.60 FEET, SAID ACC BEING SUBTENDED BY A CHORD BEARING OF NORTH 68°27'18" EAST AND A CHORD DISTANCE OF 60°28'02" EAST, A DISTANCE OF 415.00 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH A CURVE, SAID CURVE BEING CONCAVE SOUTHWESTERLY HAVING A RADIUS OF ACC DISTANCE OF 715.92 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING OF SAID CURVE BEING CONCAVE SOUTHWESTERLY HAVING A RADIUS OF ARC DISTANCE OF 715.92 FEET, SAID ARC BEING SUBTENDED BY A CHORD THE END OF SAID CURVE; AN BEARING OF SOUTH 64°50'26" EAST AND A CHORD DISTANCE OF 612.04 FEET OT THE END OF SAID CURVE; THENCE SOUTH EAST ALONG THE ARC OF SAID CURVE, AN BEARING OF SOUTH 64°50'26" EAST AND A CHORD DISTANCE OF 612.04 FEET OF THE END OF SAID CURVE; THENCE SOUTH ESCOUTH 25°09'10" EAST, A DISTANCE OF 70.00 FEET; THENCE SOUTH 00°27'50" EAST ALONG A LINE TO ITS SAID RAMP LEADING FROM NINE MILE ROAD TO INTERSTATE 95, A DISTANCE OF 70.00 FEET; THENCE SOUTH 89"11'12" WEST ALONG SAID NORTHERLY OF THE SAID RAMP LEADING FROM NINE MILE ROAD TO INTERSTATE 95. A DISTANCE OF 70.00 FEET; THENCE SOUTH 89"11'12" WEST ALONG SAID NORTHERLY OF THE SAID ROAD TO THE END OF THE SOUTH SOUTH SOUTH SETTION ORTHERLY RIGHT-OF-WAY LINE OF TH INTERSECTION WITH THE AFOREMENTIONED NORTHERLY RIGHT-OF-WAY LINE OF SAID RAMP LEADING FROM NINE MILE ROAD TO INTERSTATE 95, A DISTANCE OF 70.00 FEET; THENCE SOUTH 89 11 12 WEST ALONG SAID NORTHERLY RIGHT-OF-WAY LINE, A DISTANCE OF 165.01 FEET; THENCE SOUTH 89 32 10 WEST CONTINUING ALONG SAID NORTHERLY RIGHT-OF-WAY LINE, A DISTANCE OF 399.83 FEET TO THE POINT OF CURVE OF A CURVE, SAID CURVE BEING CONCAVE SOUTHERLY HAVING A RADIUS OF 3948.72 FEET; THENCE SOUTHWESTERLY CONTINUING ALONG SAID NORTHERLY RIGHT-OF-WAY LINE AND ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 455.12 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING OF SOUTH EAGING OF SOUTH TANGENCY OF SAID CURVE; THENCE SOUTH 84 13 15 WEST CONTINUING ALONG SAID NORTHERLY RIGHT-OF-WAY LINE, A DISTANCE OF 259.24 FEET NORTHERLY HAVING A RADIUS OF 705.00 FEET; THENCE NORTHWESTERLY CONTINUING ALONG SAID NORTHERLY RIGHT-OF-WAY LINE, A DISTANCE OF 259.24 FEET NORTHERLY HAVING A RADIUS OF 705.00 FEET; THENCE NORTHWESTERLY CONTINUING ALONG SAID NORTHERLY RIGHT-OF-WAY LINE AND ALONG THE ARC CONTINUING ALONG SAID NORTHERLY RIGHT-OF-WAY LINE AND ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 260.04 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING OF NORTH 85°13'38" WEST AND A CHORD DISTANCE OF 258.57 FEET TO THE POINT OF BEGINNING.

CONTAINING 10.00 ACRES MORE OR LESS.

SIX MILE CREEK PARCEL

A PART OF SECTIONS 18, 19, 31 AND 38, TOWNSHIP 6 SOUTH, RANGE 28 EAST, SECTIONS 24, 25, AND 46, TOWNSHIP 6 SOUTH, RANGE 27 EAST, SECTIONS 6, 38, AND 41, TOWNSHIP 7 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

FOR A POINT OF REFERENCE, COMMENCE AT THE INTERSECTION OF THE WESTERLY LINE OF SECTION 18, TOWNSHIP 6 SOUTH, RANGE 28 RAST, WITH THE SOUTHERLY RIGHT-OF-WAY LINE OF STATE ROAD NO. 16, (A 66 FOOT RIGHT-OF-WAY AS NOW ESTABLISHED); THENCE NORTH 63°23'48" EAST ALONG SAID HASTERLY RIGHT-OF-WAY LINE A DISTANCE OF 54.96 FERT TO THE POINT OF CURVE OF A CURVE CONCAVE SOUTHERLY, HAVING A RADIUS OF 922.37 FEET; THENCE NORTHBASTERLY CONTINUING ALONG SAID SOUTHERLY RIGHT-OF-WAY LINE AND ALONG THE ARC OF SAID CURVE AN ARC DISTANCE OF 12.32 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING OF NORTH 63°46'47" EAST, AND A CHORD DISTANCE OF 12.32 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE ALONG SAID CURVE BEING CONCAVE SOUTHERLY, HAVING A RADIUS OF 922.37 FEET; THENCE NORTHEASTERLY ALONG THE SAID SOUTHERLY RIGHT-OF WAY LINE AND ALONG THE ARC OF SAID CURVE AN ARC DISTANCE OF 224.42 FEBT, SAID ARC BEING SUBTENDED BY A CHORD BEARING OF NORTH 71°07'58" EAST, AND A CHORD DISTANCE OF 223.87 FEBT TO A POINT ON SAID CURVE; THENCE SOUTH 02°36'50" EAST, LEAVING SAID SOUTHERLY RIGHT-OF-WAY LINE A DISTANCE OF 1127.96 FEET; THENCE NORTH 87°23'36" EAST, A DISTANCE OF 1337.89 FEBT; THENCE NORTH 02"36'44" WEST, A DISTANCE OF 764.85 FEET; THENCE NORTH 83°08'33" EAST, A DISTANCE OF FEET; THENCE NORTH 02°37'28" WEST, INTERSECTION WITH THE AFORESAID SOUTHERLY RIGHT-OF WAY LINE OF STATE ROAD 16, A DISTANCE OF 466.00 FEET; THENCE NORTH 83°08'48" EAST, ALONG SAID SOUTHERLY RIGHT-OF WAY LINE A DISTANCE OF 156.33 FEET; TO THE POINT OF CURVE OF A CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 1399.69 FEET; THENCE EASTERLY CONTINUING ALONG SAID RIGHT-OF WAY LINE AND ALONG THE ARC OF SAID CURVE AN ARC DISTANCE OF 238.81 FRET, SAID ARC BEING SUBTENDED BY A CHORD BEARING OF NORTH 88°02'04" EAST, AND A CHORD DISTANCE OF 238.52 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 87°04'40" EAST, CONTINUING ALONG SAID RIGHT-OF WAY LINE A DISTANCE OF 698.07 FEET TO THE NORTHWEST CORNER OF THOSE LANDS DESCRIBED IN OFFICIAL RECORDS VOLUME 492 AT PAGE 826 OF THE CURRENT PUBLIC RECORDS OF SAID COUNTY; THENCE SOUTH 02°55'34" WEST, CONTINUING WITH SAID LANDS A DISTANCE OF 735.09 FEET; THENCE SOUTH 20°16'19" WEST, CONTINUING WITH

SAID LANDS A DISTANCE OF 1699.97 FEET; THENCE SOUTH 31°54'53" EAST, CONTINUING WITH SAID LANDS A DISTANCE OF 506.42 FEET; THENCE NORTH 20°16'15" EAST, CONTINUING WITH SAID LANDS A DISTANCE OF 1916.58 FEET; THENCE NORTH 02°55'02" EAST, TO ITS INTERSECTION WITH THE AFORESAID SOUTHERLY RIGHT-OF-WAY LINE OF STATE ROAD NO. 16, A DISTANCE OF 943.99 FEET; TO THE A POINT ON A CURVE, SAID CURVE BEING CONCAVE MORTHERLY, HAVING A RADIUS OF 988.37 FEET; THENCE NORTHEASTERLY CONTINUING ALONG SAID SOUTHERLY RIGHT-OF-WAY LINE AND ALONG THE ARC OF SAID CURVE AN ARC DISTANCE OF 376.02 FERT, SAID ARC BEING SUBTENDED BY A CHORD BEARING OF NORTH 81°53'53" EAST, AND A CHORD DISTANCE OF 373.76 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 70°59'57" RAST, CONTINUING ALONG SOUTHERLY RIGHT-OF WAY- LINE, A DISTANCE OF 330.65 FEET; THENCE SOUTH 72°33'50" EAST, LEAVING SAID SOUTHERLY RIGHT-OF-WAY LINE, A DISTANCE OF 2244.12 FEET; THENCE NORTH 21°23'43" EAST, A DISTANCE OF 649.77 FEET; THENCE SOUTH 70°32'01" EAST, A DISTANCE OF 608.86 FEET; THENCE SOUTH 26°43'11" WEST, A DISTANCE OF 285.03 PEET; THENCE SOUTH 70°31'16" EAST, A DISTANCE OF 679.30 FEET; THENCE SOUTH 36°14'16" WEST, A DISTANCE OF 2704.77 FEET; THENCE SOUTH 50°27'22" EAST, TO ITS INTERSECTION WITH THE CENTERLINE OF A 60 FEET WIDE INGRESS AND EGRESS RASEMENT AS RECORDED IN OFFICIAL RECORDS VOLUME 492 AT PAGE 749 OF THE CURRENT PUBLIC RECORDS OF SAID COUNTY, A DISTANCE OF 2806.29 FRET; NORTH 68°58'53" EAST, CONTINUING ALONG SAID CENTERLINE, A DISTANCE OF 349.74 FEET; THENCE NORTH 38°41'04" BAST, CONTINUING ALONG SAID CENTERLINE, A DISTANCE OF 1062.99 FEET; THENCE NORTH 24°03'39" RAST, A DISTANCE OF 160.94 FRET; THENCE SOUTH 61°21'45" EAST, LEAVING SAID CENTERLINE, A DISTANCE OF 339.53 FEBT; THENCE SOUTH 72°23'10" EAST, TO ITS INTERSECTION WITH THE WESTERLY RIGHT-OF-WAY LINE OF STATE ROAD 13-A A 100 FOOT WIDE RIGHT-OF-WAY AS NOW ESTABLISHED, A DISTANCE OF 2613.00 FEET; THENCE SOUTH 19°34'54" WEST, ALONG SAID WESTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 2235.43 FEET; THENCE NORTH 74°25'19" WEST, LEAVING SAID WESTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 1538.50 FEET; THENCE SOUTH 54°40'52" WEST, A DISTANCE OF 179.18 FEET; THENCE SOUTH 85°05'50" WEST, TO THE NORTHERLY CORNER OF LOT 5 AS SHOWN ON PLAT OF MILL CREEK ESTATES RECORDED IN MAP BOOK 14 PAGE 106 OF THE CURRENT PUBLIC RECORDS OF SAID COUNTY, A DISTANCE OF 581.87 FEET; THENCE SOUTH 79°01'51* WEST, ALONG THE NORTHERLY LINE OF LOTS 6 AND 7 OF SAID MAP OF MILL CREEK ESTATES, A DISTANCE OF 1074.93 FEET; THENCE SOUTH 73°19'50" WEST, ALONG THE NORTHERLY LINE OF LOT 8, SAID MAP OF MILL CREEK

ESTATES, A DISTANCE OF 265.12 FERT; THENCE NORTH 38016'58" WEST, TO ITS INTERSECTION WITH THE AFORESAID CENTERLINE OF THE 60 FEET WIDE INGRESS AND EGRESS EASEMENT AS RECORDED IN OFFICIAL RECORDS VOLUME 492 AT PAGE 749 OF THE CURRENT PUBLIC RECORDS OF SAID COUNTY, A DISTANCE OF 1317.69 FEBT; SOUTH 32°24'53" WEST, CONTINUING ALONG CENTERLINE, A DISTANCE OF 553.67 PEET; THENCE SOUTH 46°26'11" WEST, CONTINUING ALONG SAID CENTERLINE, DISTANCE OF 1060.20 FEET; THENCE SOUTH 54º46'59" WEST, CONTINUING ALONG SAID CENTERLINE, A DISTANCE OF 359.32 FEET; THENCE NORTH 32°27'37" WEST, CONTINUING ALONG SAID CENTERLINE, A DISTANCE OF 511.83 FEET; THENCE NORTH 53°44'12" WEST, CONTINUING ALONG SAID CENTERLINE, DISTANCE OF 190.00 FERT; THENCE SOUTH 49°58'19" WEST, LEAVING SAID CENTERLINE, A DISTANCE OF 1302.78 FRET; THENCE SOUTH 40°03'36" EAST, A DISTANCE OF 594.57 FEET TO A POINT IN THE AFORESAID CENTERLINE; THENCE SOUTH 51°20'38" WEST, CONTINUING ALONG SAID CENTERLINE, A DISTANCE OF 202.00 FEET; THENCE SOUTH 45°58'53" WEST, CONTINUING ALONG SAID CENTERLINE, A DISTANCE OF 245.17 PERT; THENCE SOUTH 37°50'46" EAST, TO ITS INTERSECTION WITH THE NORTHWESTERLY LINE OF LOT 19, AFOREMENTIONED MAP OF MILL CREEK ESTATES, A DISTANCE OF 464.72 FEET; THENCE SOUTH 28°41'32" WEST, CONTINUING ALONG THE NORTHERLY LINE OF LOTS 19 AND 20, A DISTANCE OF 951.10 FEET TO THE SOUTHEAST CORNER OF SAID LOT 20; THENCE SOUTH 78°30'30" EAST, CONTINUING ALONG THE SOUTHERLY LINE OF SAID MAP OF MILL CREEK ESTATES, A DISTANCE OF 2622.07 FEET TO THE CENTERLINE OF THE AFORESAID 60 FEET WIDE INGRESS AND EGRESS EASEMENT AS RECORDED IN OFFICIAL RECORDS VOLUME 492 AT PAGE 749 OF THE CURRENT PUBLIC RECORDS OF SAID COUNTY; THENCE NORTH 10°58'45" EAST, CONTINUING ALONG SAID CENTERLINE AND ALONG LINES OF SAID MAP OF MILL CREEK ESTATES, A DISTANCE OF 13.74 FEBT; THENCE SOUTH 79°08'03" EAST, CONTINUING ALONG SAID CENTERLINE AND ALONG LINES OF SAID MILL CREEK ESTATES, A DISTANCE OF 586.21 FEET; THENCE NORTH 83°25'33" EAST, CONTINUING ALONG SAID CENTERLINE AND ALONG LINES OF SAID MAP OF MILL CREEK ESTATES, A DISTANCE OF 325.39 FEBT; THENCE SOUTH 84°16'49" EAST, CONTINUING WITH SAID CENTERLINE AND ALONG LINES OF SAID MAP OF MILL CREEK ESTATES, A DISTANCE OF 249.97 FEET; SOUTH 40°13'07" EAST, CONTINUING ALONG SAID CENTERLINE ALONG LINES OF SAID MILL CREEK ESTATES, A DISTANCE OF 110.39 FEET; THENCE NORTH 77°22'33* EAST, CONTINUING ALONG SAID CENTERLINE A DISTANCE OF 1586.26 FEET; THENCE NORTH 88°34'49" EAST, CONTINUING ALONG SAID CENTERLINE TO ITS INTERSECTION WITH THE AFOREMENTIONED WESTERLY RIGHT-OF-WAY LINE OF STATE ROAD NO. 13-A,

DISTANCE OF 848.22 FEET; THENCE SOUTH 19°34'52" WEST, ALONG SAID WESTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 250.61 FERT; THENCE SOUTH 88°28'23" WEST, LEAVING SAID WESTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 708.52 FEET TO A POINT IN THE WESTERLY LINE OF SECTION 37, TOWNSHIP 6 SOUTH, RANGE 28 EAST; THENCE SOUTH 01°19'26" EAST, ALONG SAID WESTERLY LINE, A DISTANCE OF 4917.21 FEBT TO THE SOUTHWEST CORNER OF SAID SECTION 37; THENCE SOUTH 89°53'35" EAST, ALONG THE SOUTH LINE OF SAID SECTION 37, A DISTANCE OF 1179.79 FERT TO THE SOUTHWESTERLY CORNER OF A 30 FEET WIDE DRAINAGE EASEMENT AS RECORDED IN DEED BOOK 182 AT PAGE 133; THENCE SOUTH 37°18'20" EAST, ALONG SAID SOUTHWESTERLY LINE TO ITS INTERSECTION WITH THE WESTERLY LINE OF STATE ROAD NO. 13-A, A DISTANCE OF 995.95 FERT; THENCE SOUTH 12°10'27" WEST, ALONG SAID WESTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 1440.16 FEET; TO THE POINT OF CURVE OF A CURVE, SAID CURVE BEING CONCAVE EASTERLY, HAVING A RADIUS OF 2342.01 FERT; THENCE SOUTHWESTERLY CONTINUING WITH SAID WESTERLY RIGHT-OF-WAY LINE AND ALONG THE ARC OF SAID CURVE AN ARC DISTANCE OF 591.67 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING OF SOUTH 04°56'12" WEST, AND A CHORD DISTANCE OF 590.10 FEBT TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 02°18'03" EAST, CONTINUING WITH SAID WESTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 2010.75 FERT; THENCE NORTH 71°16'18" WEST, ALONG THE DIVISION LINE BETWEEN SECTION 4 AND SECTION 5, TOWNSHIP 6 SOUTH, RANGE 28 EAST, A DISTANCE OF 4096.34 FEET; THENCE NORTH 60°26'27" WEST, CONTINUING ALONG SAID DIVISION LINE, A DISTANCE OF 1734.02 FEET TO THE COMMON CORNER TO SECTIONS 4, 5, AND 6; THENCE SOUTH 03°37'25" EAST, ALONG THE EASTERLY LINE OF SECTION 6, A DISTANCE OF 3052.10 FEET; THENCE SOUTH 03°33'13" EAST, ALONG THE BASTERLY LINE OF SECTION 38, A DISTANCE OF 2086.25 FEET; THENCE NORTH 87°12'39" WEST, A DISTANCE OF 863.15 FEET TO THE WATERS OF SIX MILE CREEK; THENCE NORTH 46°17'49" WEST, ALONG THE WATERS OF SAID SIX MILE CREEK, A DISTANCE OF 1430.00 FRET; THENCE NORTH 45°19'26" WEST, ALONG THE WATERS OF SAID SIX MILE CREEK, A DISTANCE OF 1973.08 FEET; THENCE NORTH 16°05'23" WEST, ALONG THE WATERS OF SAID SIX MILE CREEK, A DISTANCE OF 639.84 FEBT; THENCE NORTH 06°55'41" RAST, A DISTANCE OF 540.00 FEET TO A POINT IN THE DIVISION LINE BETWEEN SECTIONS 6 AND 38; THENCE NORTH 89°20'12" WEST, ALONG SAID DIVISION LINE, A DISTANCE OF 540.00 FEET; THENCE NORTH 01°32'49" WEST, ALONG THE WESTERLY LINE OF THE NORTH 28 ACRES OF THE NORTHEAST 1/4 OF THE NORTHWEST 1/4 OF SAID SECTION 6, A DISTANCE OF 2665.80 FEET TO A POINT IN SAID SIX MILE CREEK; THENCE WITH THE WATERS OF SAID SIX MILE CREEK THE FOLLOWING TWENTY NINE

(29) BEARING AND DISTANCES (1) NORTH 21°59'28" WEST, A DISTANCE OF 115.71 FEET; (2) THENCE NORTH 04°15'38" WEST, A DISTANCE OF 471.70 FEET; (3) THENCE NORTH 15°42'55" WEST, A DISTANCE OF 530.00 FEST; (4) THENCE NORTH 74°28'28" WEST, A DISTANCE OF 160.00 FEBT; (5) THENCE NORTH 32°07'06" WEST, A DISTANCE OF 147.65 FEST; (6) THENCE NORTH 15°07'30" WEST, A DISTANCE OF 655.70 FEBT; (7) THENCE NORTH 58°48'11" WEST, A DISTANCE OF 336.17 FEET; (8) THENCE NORTH 39°05'47" WEST, A DISTANCE OF 291.63 FEET; (9) THENCE NORTH 07°34'52" RAST, A DISTANCE OF 480.55 FEET; (10) THENCE NORTH 31°17'16" WEST, A DISTANCE OF 88.74 FEET; (11) THENCE NORTH 20°26'08" EAST, A DISTANCE OF 219.13 FEET; (12) THENCE NORTH 33°09'18" WEST, A DISTANCE OF 141,49 FEET; (13) THENCE NORTH 08°12'46" EAST, A DISTANCE OF 515.92 FEET; (14) THENCE NORTH 15°19'05" WEST, A DISTANCE OF 745.08 FEET; (15) THENCE NORTH 33"44'44" WEST, A DISTANCE OF 216.76 FRET; (16) THENCE NORTH 54°12'24" WEST, A DISTANCE OF 864.38 FERT; (17) THENCE NORTH 22°57'55" WEST, A DISTANCE OF 380.61 FEET; (18) THENCE NORTH 20°24'29" WEST, A DISTANCE OF 202.16 FEET; (19) THENCE SOUTH 88°26'32" WEST, A DISTANCE OF 190.74 FEET; (20) THENCE NORTH 55°09'29" WEST, A DISTANCE OF 308.93 FEET; (21) THENCE NORTH 44°40'29* WEST, A DISTANCE OF 350.69 FEET; (22) THENCE NORTH 33°10'13" WEST, A DISTANCE OF 230.07 FEET; (23) THENCE NORTH 56°26'30" WEST, A DISTANCE OF 260.59 FEET; (24) NORTH 01°22'50" WEST, A DISTANCE OF 303.45 FEET; (25) THENCE NORTH 28°32'35" WEST, A DISTANCE OF 522.44 FEET; (26) THENCE NORTH 19°05'07" WEST, A DISTANCE OF 479.11 FRET; (27) THENCE NORTH 70°02'28" WEST, A DISTANCE OF 257.46 FEET; (28) THENCE NORTH 05°33'42" WEST, A DISTANCE OF 519.98 FEET; (29) THENCE NORTH 33°12'51" WEST, A DISTANCE OF 664.34 FEET; THENCE NORTH B8°C7'49" EAST, LEAVING THE WATERS OF SAID SIX MILE CREEK, A DISTANCE OF 159.15 FEET TO THE NORTHEAST CORNER OF THE SOUTHEAST 1/4 OF THE NORTHWEST 1/4 OF SECTION 25; THENCE NORTH 02°29'20" WEST, TO ITS INTERSECTION WITH THE EASTERLY RIGHT-OF-WAY LINE OF STATE ROAD NO. 13 (A 100 FOOT WIDE RIGHT-OF WAY AS NOW ESTABLISHED), A DISTANCE OF 4147.39 FRET TO A POINT ON A CURVE, SAID CURVE BEING CONCAVE WESTERLY, HAVING A RADIUS OF 2342.01 FEET; THENCE NORTHEASTERLY ALONG THE SAID EASTERLY RIGHT-OF-WAY LINE AND ALONG THE ARC OF SAID CURVE AN ARC DISTANCE OF 721.56 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING OF NORTH 19°55'50" EAST, AND A CHORD DISTANCE OF 718.71 FEET TO THE END OF SAID CURVE AT THE SOUTHWESTERLY CORNER OF THOSE LANDS AS DESCRIBED IN OFFICIAL RECORDS VOLUME 492 AT PAGE 812 OF THE CURRENT PUBLIC RECORDS OF SAID COUNTY; THENCE SOUTH 65°13'38" RAST,

ALONG LINES OF SAME, A DISTANCE OF 967.56 FEET; THENCE NORTH 87°23'47" EAST, CONTINUE ALONG LINES OF SAME, A DISTANCE OF 1587.56 FEET; THENCE NORTH 02°36'55" WEST, CONTINUE ALONG LINES OF SAME, A DISTANCE OF 2680.13 FEET, TO THE POINT OF BEGINNING.

CONTAINING 3910.04 ACRES MORE OR LESS.

EXHIBIT "A" PAGE 12 OF 13

A PART OF GOVERNMENT LOTS 15, 16 AND 17, SECTION 38, TOWNSHIP 6 SOUTH, RANGE 28 EAST, AND THAT PART OF GOVERNMENT LOT 17 LYING IN SECTION 41, TOWNSHIP 7 SOUTH, RANGE 28 EAST ALL LYING IN ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS: FOR A POINT OF REFERENCE, COMMENCE AT THE SOUTHEAST CORNER OF SCAPP ROAD, AS RECORDED IN OFFICIAL RECORDS VOLUME 845, PAGE 1083 OF THE CURRENT PUBLIC RECORDS OF SAID COUNTY AND THE WESTERLY LINE OF GOVERNMENT LOT 17, SECTION 38, TOWNSHIP 6 SOUTH, RANGE 28 EAST; THENCE NORTH 19'05'30" EAST ALONG THE SAID WESTERLY LINE OF GOVERNMENT LOT 17, A DISTANCE OF 30.17 FEET TO THE POINT OF BEGINNING; THENCE NORTH 19*05'30" EAST CONTINUING ALONG THE SAID WESTERLY LINE OF GOVERNMENT LOT 17, A DISTANCE OF 359.48 FEET TO A POUND CONCRETE MONUMENT; THENCE WORTH 71"48'11" WEST ALONG THE SOUTHWESTERLY LINE OF GOVERNMENT LOT 15 TO ITS INTERSECTION WITH THE SOUTHERLY LINE OF SECTION 37, A DISTANCE OF 775.07 FRET TO A SET 1/2 INCH REBAR; THENCE NORTH 88 23'17" EAST ALONG THE SOUTH LINE OF SAID SECTION 37, A DISTANCE OF 1631.87 FEET TO A FOUND CONCRETE MONUMENT; THENCE NORTH 00"58'56" WEST ALONG THE SAID EASTERLY LINE OF SECTION 37, A DISTANCE OF 5070.70 FEET TO A SET 1/2 INCH REBAR; THENCE SOUTH 72°25'05" EAST ALONG THE NORTHEASTERLY LINE OF GOVERNMENT LOTS 15 AND 16, A DISTANCE OF 4655.46 FEET TO A FOUND CONCRETE MONUMENT; THENCE SOUTH 18°51'53" WEST, A DISTANCE OF 4033.56 FEET TO A FOUND CONCRETE MONUMENT; THENCE NORTH 72°14'54" WEST, A DISTANCE OF 988.77 FEET TO A FOUND CONCRETE MONUMENT; THENCE SOUTH 19"07'16" WEST TO ITS INTERSECTION WITH THE DIVISION LINE BETWEEN GOVERNMENT LOTS 16 AND 17, A DISTANCE OF 1342.37 FEET TO A POUND CONCRETE MONUMENT; THENCE SOUTH 72'08'34" EAST ALONG EATD DIVISION LINE BETWEEN GOVERNMENT LOTS 16 AND 17, A DISTANCE OF 1941.01 FEET TO A FOUND CONCRETE MONUMENT; THENCE NORTH 76 29'14" WEST ALONG THE EASTERLY PROLONGATION OF THE CENTERLINE OF SAID SCAPF ROAD, A DISTANCE OF 4653.33 FEET TO THE POINT OF BEGINNING.

CONTAINING BY SURVEY MADE BY NORTHEAST FLORIDA SURVEYORS, 454.55

Exhibit "B" to Resolution

[Blackline version of the changes to the DRI Development Order]

EXHIBIT B Saint Johns DRI Development Order Changes December 15, 2016

I. <u>General Conditions.</u>

E. The deadline for commencing physical development shall be December 19, 1995 and the termination date shall be October 13, 2031*, unless sooner terminated pursuant to the terms of this DO or by law.

Note: Physical development commenced prior to December 19, 1995.

F. St. Johns County agrees that the Saint Johns DRI shall not be subject to down-zoning, unit density reduction, or intensity reduction prior to October 13, 2031*, unless it is demonstrated that substantial changes in the conditions underlying the approval of the Development Order have occurred, or the Development Order was based on substantially inaccurate information provided by the Developer, or that the change is clearly established by St. Johns County to be essential to the public health, safety, or welfare.

II. Specific Conditions.

A. Development of the Saint Johns DRI shall not exceed the following cumulatively for the entire project:

LAND USE	SCOPE	
Residential	7,200 d.u.	
Office	2,493,000 s.f.	
Retail/Commercial	583,000 s.f.	
Industrial/Warehouse	2,464,000 s.f.	
Golf	36 holes	
Hotel	1,225 rooms	
PGA Hall of Fame and Tour Productions	75,000 s.f.	

It is the intent of this condition that the Saint Johns project be developed in a single phase, commencing in 1995 and running through project build-out in October 13, 2031*.

The Applicant may increase or decrease the amount of a particular land use within the Interchange Parcels PUD portion of the DRI (only) without filing a notice of proposed change, provided that:

(a) Such changes are consistent with the Land Use Equivalency Table for the Interchange Parcels PUD attached as an Exhibit to the Development Order (the "Land Use Equivalency Table"). The Land Use Equivalency Table attached as an Exhibit specifies the rate at which residential and non-residential uses may be exchanged for one another. The Land Use Equivalency Table establishes minimum and maximum ranges of development allowable for conversion under the Land Use Equivalency Tables.

- (b) Any land use conversion that will result in more than 2,400 residential dwelling units within the Interchange Parcels PUD portion of the DRI must demonstrate at the time of election that the conversion received acceptance from (i) the St. Johns County Parks and Recreation Department and (ii) the St. Johns County School District for those residential units exceeding 2,400 units. Age-restricted units confirmed to be exempt from school concurrency by the St. Johns County School District shall not be deducted from the 2,400 residential units currently vested for school concurrency within the Interchange Parcels PUD. Recreation and school mitigation for those residential units exceeding 2,400, if any, shall be approved prior to construction plan approval for any of the single-family or multi-family dwelling units exceeding 2,400.
- (c) At any time of election of a land use conversion under the Land Use Equivalency Table the Applicant shall notify, in writing, St. Johns County, the Department of Economic Opportunity ("DEO"), and the Northeast Florida Regional Council ("NEFRC") of the election at least 30 days in advance of the change. Use of the Land Use Equivalency Table will be reported on an individual and cumulative basis in the biennial report. Any Notice of Proposed Change ("NOPC") filed shall incorporate all changes made pursuant to the Land Use Exchange Table prior to the filing of such NOPC. So long as the conversion is consistent with the criteria contained in the Land Use Equivalency Table and no change is made to the Master Development Plan, Map H, no additional DRI approvals shall be required for the conversion.
- (d) No land use conversions are allowable within the Six Mile Creek PUD portion of the DRI, and no further land use conversions other than those specified on the Land Use Equivalency Table may occur within the DRI without an amendment to the DRI Development Order and approval by the Board of County Commissioners in accordance with the requirements of Section 380.06 of the Florida Statutes.
- FF.k Improvement of International Golf Parkway (f/k/a Nine Mile Road) to a two-lane arterial, to include turn lanes at major intersections and shoulder improvements from four-lane section at the Interchange Northeast Parcel entrance to U.S. 1 as approved by the St. Johns County Engineer. This roadway link shall be committed by October 19, 2023* or when the Biennial Monitoring Report projects that external traffic volume generated by the project in the ensuing two-year period will equal or exceed seventy-two thousand five hundred ninety-four (72,594) daily trips, or when the Biennial Monitoring Report projects that external traffic volume generated by the project in the ensuing two-year period within TAZs 1-5 will exceed forty-two thousand two hundred forty-four (42,244) daily trips, whichever occurs earlier. Until such time as the roadway is committed as required above, no further Final Development Permits shall be issued within TAZ 2 unless the Applicant demonstrates to the satisfaction of FDOT, NEFRC,

St. Johns County, and DEO that the roadway will be operating at the adopted LOS over the next five years.

- FF.1 Improvement of Pacetti Road from S.R. 16 to C.R. 208 to a two-lane arterial. to include turn lanes at major intersections, shoulder improvements, and improvements to the horizontal curvature of the roadway, as approved by the St. Johns County Engineer. This roadway link shall be committed when the Biennial Monitoring Report projects that external traffic volume generated by the project in the ensuing two-year period will equal or exceed seventy-two thousand five hundred ninety-four (72,594) daily trips, or when the Biennial Monitoring Report projects that external traffic volume generated by the project in the ensuing two-year period within TAZs 6-10 will equal or exceed thirty thousand three hundred fifty (30,350) external trips per day or one year prior to the DRI build-out or one year prior to the DRI termination date of October 13, 2031*, whichever occurs earlier. Until such time as the roadway is committed as required above, no further Final Development Permits shall be issued within TAZs 1 and 3-10 unless the Applicant demonstrates to the satisfaction of FDOT, NEFRC, St. Johns County, and DEO that the roadway will be operating at the adopted LOS over the next five years.
- FF.n Four-laning of S.R. 16 from the Six Mile Creek central entrance to C.R 16A. This roadway link shall be committed when the Biennial Monitoring Report projects that external traffic volume generated by the project in the ensuing two-year period will equal or exceed ninety-one thousand five hundred (91,500) daily trips, or when the Biennial Monitoring Report projects that external traffic volume generated by the project in the ensuing two-year period within TAZs 1 and 3-10 will exceed eighty one thousand three hundred seventy two (81,372) daily trips, or when the Biennial Monitoring Report projects that external traffic volume generated by the project within TAZs 6-10 will equal or exceed forty-one thousand seven-hundred thirty (41,730) daily trips or one year prior to the DRI build-out or one year prior to the DRI termination date of October 13, 2031*, whichever occurs earlier. Until such time as the roadway is committed as required above, no further Final Development Permits shall be issued within TAZs 1 and 3-10 unless the Applicant demonstrates to the satisfaction of FDOT, NEFRC, St. Johns County, and DEO that the roadway will be operating at the adopted LOS over the next five years.
- FF.q Improvements at C.R. 16A from Maguire Road to S.R. 16 to a two-lane arterial, including shoulder improvements and turn lanes, as necessary, as approved by the St. Johns County Engineer. This roadway link shall be committed when the Biennial Monitoring Report projects that external traffic volume generated by the project in the ensuing two-year period


will equal or exceed ninety-one thousand five hundred (91,500) daily trips, or when the Biennial Monitoring Report projects that external traffic volume generated by the project in the ensuing two-year period within TAZs 1 and 3-10 will exceed eighty one thousand three hundred seventy two (81,372) daily trips, or when the Biennial Monitoring Report projects that external traffic volume generated by the project in the ensuing two-year period within TAZs 6-10 will equal or exceed forty-one thousand seven hundred thirty (41,730) daily trips or one year prior to the DRI build-out or one year prior to the DRI termination date of October 13, 2031*, whichever occurs earlier. Until such time as the roadway is committed as required above, no further Final Development Permits shall be issued within TAZs 1 and 3-10 unless the Applicant demonstrates to the satisfaction of FDOT, NEFRC, St. Johns County, and DEO that the roadway will be operating at the adopted LOS over the next five years.


- a) State of Florida Executive Orders 2011-128, 2011-172, and 2011-202 for wildfires (143 day plus six-month extension)
- b) State of Florida Executive Order 2012-140 for Tropical Storm Debby (60 day plus six-month extension)
- c) State of Florida Executive Order 2012-199 for Tropical Storm Isaac (60 day plus six-month extension)
- d) State of Florida Executive Order 2015-173 for Tropical Storm Erika (60 day plus six-month extension)
- e) State of Florida Executive Order 2016-136 for Tropical Storm Colin (60 day plus six-month extension)
- f) State of Florida Executive Order 2016-205 for Tropical Storm Hermine (60 day plus six-month extension)
- g) State of Florida Executive Order 2016-230 for Hurricane Matthew (34 day plus six-month extension)


^{*} The DRI termination, build-out, downzoning protection, and phase and related mitigation expiration dates have been extended in accordance with the following legislative extensions:


Exhibit "C" to Resolution

[Master Development Plan - Map H]












Exhibit "D" to Resolution

[Land Use Equivalency Table]

EXHIBIT "D" ST. JOHNS DRI/DO INTERCHANGE PARCELS LAND USE EQUIVALENCY TABLE

note:				(Alara)	Commissable Renell	CITROL	
Residential (DU)	1	1.9002	2.4797	1.414	0.2300	0.5680	0.4789
Age Restricted - Detached (DU) (SFAR)	0.5263	1	1.3049	0.744	0.1210	0.2989	0.2520
Age Restricted - Attached (DU) (MFAR)	0.4033	0.7663	1	0.570	0.0927	0.2290	0.1931
Hotel (Rooms)	0.7073	1.3440	1.7538	1	0.1626	0.4017	0.3387
Commercial/Retail (ksf)	4.3488	8,2636	10.7835	6.149	1	2.4699	2,0826
Office (ksf)	1.7607	3.3457	4.3659	2.489	0.4049	1	0.8432
Industriai/Warehouse (ksf)	2.0882	3.9680	5.1780	2.952	0.4802	1.1860	1

	feteres type	Units (ISS or PE	de (m)/m
Residential	1,083	2,400	0.4513
Senior Adult Housing - Detached* (SFAR)	95	400	0.2375
Senior Adult Housing - Attached* (MFAR)	91	500	0.1820
Hotel	391	1,225	0.3192
Commercial/Retail	1,103	562	1.9626
Office	1,981	2,493	0.7946
ndustrial/Warehouse	2,322	2,464	0.9424

^{*}Net New PM Peak Hour trips for Senior Adult Housing Detached and Attached (LUC 251 and 252) calculated using the following criteria:

Regression equation from ITE's Trip Generation Handbook, 9th Edition

No pass-by considered

Internal capture was calculated as 25%.

Example:

Convert 100 DU of Residential to Age Restricted - Detached

100 x 1.9002 = 190.0

100 Residential Dwelling Units is equivalent to 190 Age Restricted - Detached Dwelling Units

Convert 50,000 sf of Office to Industrial

50,000 x 0.8432 = 42,160

50,000 sf of Office is equivalent to 42,160 sf of Industrial

MINUMUM/MAXIMUM DEVELOPMENT PROJECTIONS

	MINION DEFECT MENT PROSE	TIONS	
Land Use) Jules	Parameter ¹	To the last of the
Residential	Dwelling Unit	1,545	2,700
Senior Adult Housing - Detached (SFAR)	Dwelling Unit	0	400
Senior Adult Housing - Attached (MFAR)	Dwelling Unit	0	500
Hotel	Rooms	1,000	1,225
Commercial/Retail	. Square Feet	400,000	1,577,100
Office	Square Feet	2,000,000	5,000,200
Industrial/Warehouse	Square Feet	350,000	2,873,000

¹ The combined total number of residential dwelling units shall not exceed 3,120 units.

THE ST. AUGUSTINE RECORD

KIMLEY-HORN 12740 GRAN BAY PARKWAY W STE 2350 JACKSONVILLE FL 32258

Ref.#:

17058196D

P.O.#:

PUBLISHED EVERY MORNING SUNDAY THRU SATURDAY ST. AUGUSTINE AND ST. JOHNS COUNTY, FLORIDA

STATE OF FLORIDA, COUNTY OF ST. JOHNS

Before the undersigned authority personally appeared NICOLE COI who on oath says that he/she is an Employee of the St. Augustine Reca daily newspaper published at St. Augustine in St. Johns County, Flc that the attached copy of advertisement being a NOTICE OF HEAI In the matter of DRIMOD 2016-01 NE QU - DRIMOD 2016-01 NE was published in said newspaper on 12/14/2016

Affiant further says that the St. Augustine Record is a newspaper public at St. Augustine, in said St. Johns County, Florida, and that the said newspaper heretofore has been continuously published in said St. Johns County, Florida, each day and has been entered as second class mail matter at the post office in the City of St. Augustine, in said St. Johns County, for a period of one year preceding the first publication of the copy of advertisement; and affiant further says that he/she has neither paid nor promised any person, firm or corporation any discount, rebate, commission or refund for the purpose of securing the advertisement for publication in the said newspaper.

Sworn to and subscribed before me this day o	f DEC142018
by hich Wexisian who is o	personally known to me
or who has produced as identification	ERIC DAMIEN MCBRIDE
	MY COMMISSION # FF925198 EXPIRES October 07, 2019
(Signature of Maton, Bullia)	J Florida Notary Service, Com

ignature of Notary Public)

(Seal)

