

**Environmental Review for Activity/Project that is  
Categorically Excluded Subject to Section 58.5  
Pursuant to 24 CFR 58.35(a)**

**Project Information**

**Project Name:** 2657-Juarez-Ave

**HEROS Number:** 900000010382558

**Responsible Entity (RE):** ST. JOHNS COUNTY, 200 SAN SEBASTIAN VIEW ST.  
AUGUSTINE FL, 32084

**State / Local Identifier:**

**RE Preparer:** Marie Guilfoyle

**Certifying Office** Caleena Shirley  
**r:**

**Grant Recipient (if different than Responsible Entity):**

**Point of Contact:**

**Consultant (if applicable):**

**Point of Contact:**

**Project Location:** 2657 Juarez Ave, St Augustine, FL 32086

**Additional Location Information:**  
N/A

**Direct Comments to:**

**Description of the Proposed Project [24 CFR 50.12 & 58.32; 40 CFR 1508.25]:**

Single-family housing rehabilitation of one residential home located on one parcel of land located at 2657 Juarez Ave,, St. Augustine, FL 32084. In an effort to address housing needs in St. Johns County, FL \$40,000 in CDBG funding will be used for the purpose of providing home rehabilitation to a low to moderate income homeowner in need of assistance in order to remain living safely and independently in the home. The subject property is 1882 sq ft.

**Maps, photographs, and other documentation of project location and description:**

[A4 Parcel Detail 2657 Juarez Ave St Augustine FL.pdf](#)

[A3 Neighborhood Aerial Map.pdf](#)

[A2 Aerial Map.pdf](#)

[A1 Base Street Map.pdf](#)

**Level of Environmental Review Determination:**

**Categorically Excluded per 24 CFR 58.35(a), and subject to laws and authorities at 58.5:**

58.34(a)(12)

58.35(a)(3)(i)

**Determination:**

✓	This categorically excluded activity/project converts to <b>EXEMPT</b> per Section 58.34(a)(12), because it does not require any mitigation for compliance with any listed statutes or authorities, nor requires any formal permit or license; <b>Funds may be committed and drawn down after certification of this part</b> for this (now) EXEMPT project; OR
	This categorically excluded activity/project cannot convert to Exempt status because one or more statutes or authorities listed at Section 58.5 requires formal consultation or mitigation. Complete consultation/mitigation protocol requirements, <b>publish NOI/RROF and obtain "Authority to Use Grant Funds"</b> (HUD 7015.16) per Section 58.70 and 58.71 before committing or drawing down any funds; OR
	This project is not categorically excluded OR, if originally categorically excluded, is now subject to a full Environmental Assessment according to Part 58 Subpart E due to extraordinary circumstances (Section 58.35(c)).

**Approval Documents:**

[Juarez ERR Signed Attachment 2.pdf](#)

**7015.15 certified by Certifying Officer on:**

**7015.16 certified by Authorizing Officer  
on:**

**Funding Information**

<b>Grant / Project Identification Number</b>	<b>HUD Program</b>	<b>Program Name</b>	<b>Funding Amount</b>
2021/3	Community Planning and Development (CPD)	Community Development Block Grants (CDBG) (Entitlement)	\$4,000.00

**Estimated Total HUD Funded, Assisted or Insured Amount:** \$40,000.00

**Estimated Total Project Cost:** \$40,000.00

**Compliance with 24 CFR §50.4, §58.5 and §58.6 Laws and Authorities**

<b>Compliance Factors:</b> Statutes, Executive Orders, and Regulations listed at 24 CFR §50.4, §58.5, and §58.6	<b>Are formal compliance steps or mitigation required?</b>	<b>Compliance determination (See Appendix A for source determinations)</b>
<b>STATUTES, EXECUTIVE ORDERS, AND REGULATIONS LISTED AT 24 CFR §50.4 &amp; § 58.6</b>		
<b>Airport Hazards</b> Clear Zones and Accident Potential Zones; 24 CFR Part 51 Subpart D	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	The project site is not within 15,000 feet of a military airport or 2,500 feet of a civilian airport. The project is in compliance with Airport Hazards requirements.
<b>Coastal Barrier Resources Act</b> Coastal Barrier Resources Act, as amended by the Coastal Barrier Improvement Act of 1990 [16 USC 3501]	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project is not located in a CBRS Unit. Therefore, this project has no potential to impact a CBRS Unit and is in compliance with the Coastal Barrier Resources Act.
<b>Flood Insurance</b> Flood Disaster Protection Act of 1973 and National Flood Insurance Reform Act of 1994 [42 USC 4001-4128 and 42 USC 5154a]	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project does not occur in a floodplain as shown in FEMA Flood Panel 12109C0314J, effective 12/07/2018. The structure or insurable property is not located in a FEMA-designated Special Flood Hazard Area.

		While flood insurance may not be mandatory in this instance, HUD recommends that all insurable structures maintain flood insurance under the National Flood Insurance Program (NFIP). The project is in compliance with flood insurance requirements.
<b>STATUTES, EXECUTIVE ORDERS, AND REGULATIONS LISTED AT 24 CFR §50.4 &amp; § 58.5</b>		
<b>Air Quality</b> Clean Air Act, as amended, particularly section 176(c) & (d); 40 CFR Parts 6, 51, 93	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Based on the project description, this project includes no activities that would require further evaluation under the Clean Air Act. The project is in compliance with the Clean Air Act.
<b>Coastal Zone Management Act</b> Coastal Zone Management Act, sections 307(c) & (d)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Florida's coastal zone spans in various coastal bordering communities covering the entire State. While St. Johns County is contiguous to state water bodies, the project is significantly inland and not within a coastal barrier. The project has no potential to impact a CBRS Unit and is in compliance with the Coastal Barrier Resources Act and does not require state review.
<b>Contamination and Toxic Substances</b> 24 CFR 50.3(i) & 58.5(i)(2)]	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	On-site or nearby toxic, hazardous, or radioactive substances that could affect the health and safety of project occupants or conflict with the intended use of the property were not found. The project is in compliance with contamination and toxic substances requirements.
<b>Endangered Species Act</b> Endangered Species Act of 1973, particularly section 7; 50 CFR Part 402	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project will have No Effect on listed species based on a Clearance to Proceed with HUD Loan Project Requests letter from the USFWS Office dated February 15, 2024. This project is in compliance with the Endangered Species Act.
<b>Explosive and Flammable Hazards</b> Above-Ground Tanks)[24 CFR Part 51 Subpart C	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	After reviewing available County resources, a visual site review of properties in the surrounding area, and a GIS map analysis, it has been determined that Limited Repair does not require this review. The project is in compliance with explosive and

		flammable hazard requirements as the project does not include development, construction, or rehabilitation that will increase residential densities. Based on the project description the project includes no activities that would require further evaluation under this section. The project is in compliance with explosive and flammable hazard requirements.
<b>Farmlands Protection</b> Farmland Protection Policy Act of 1981, particularly sections 1504(b) and 1541; 7 CFR Part 658	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project does not include any activities that could potentially convert agricultural land to a non-agricultural use. The project is in compliance with the Farmland Protection Policy Act.
<b>Floodplain Management</b> Executive Order 11988, particularly section 2(a); 24 CFR Part 55	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project does not occur in a floodplain. The project is in compliance with Executive Order 11988.
<b>Historic Preservation</b> National Historic Preservation Act of 1966, particularly sections 106 and 110; 36 CFR Part 800	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Based on the project description the project has No Potential to Cause Effects. The project is in compliance with Section 106.
<b>Noise Abatement and Control</b> Noise Control Act of 1972, as amended by the Quiet Communities Act of 1978; 24 CFR Part 51 Subpart B	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	The project is modernization or minor rehabilitation of an existing residential property. The project will include standardized noise attenuation measures. The project is in compliance with HUD's Noise regulation.
<b>Sole Source Aquifers</b> Safe Drinking Water Act of 1974, as amended, particularly section 1424(e); 40 CFR Part 149	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Based on the project description, the project consists of activities that are unlikely to have an adverse impact on groundwater resources. The project is in compliance with Sole Source Aquifer requirements.
<b>Wetlands Protection</b> Executive Order 11990, particularly sections 2 and 5	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Based on the project description this project includes no activities that would require further evaluation under this section. The project is in compliance with Executive Order 11990.
<b>Wild and Scenic Rivers Act</b> Wild and Scenic Rivers Act of 1968, particularly section 7(b) and (c)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	This project is not within proximity of a NWSRS river. The project is in compliance with the Wild and Scenic Rivers Act.
<b>HUD HOUSING ENVIRONMENTAL STANDARDS</b>		
<b>ENVIRONMENTAL JUSTICE</b>		

<b>Environmental Justice</b> Executive Order 12898	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	The project offers equal access to safe and healthy housing to all, providing access to affordable, accessible quality housing free of a hazard to resident's health. Additionally, the County through this project continues its work to achieve inclusive, sustainable communities free from discrimination. No adverse environmental impacts were identified in the project's total environmental review. The project is in compliance with Executive Order 12898.
---	---	---

**Mitigation Measures and Conditions [40 CFR 1505.2(c)]:**

Summarized below are all mitigation measures adopted by the Responsible Entity to reduce, avoid or eliminate adverse environmental impacts and to avoid non-compliance or non-conformance with the above-listed authorities and factors. These measures/conditions must be incorporated into project contracts, development agreements and other relevant documents. The staff responsible for implementing and monitoring mitigation measures should be clearly identified in the mitigation plan.

Law, Authority, or Factor	Mitigation Measure or Condition	Comments on Completed Measures	Mitigation Plan	Complete
---------------------------------	---------------------------------	--------------------------------------	--------------------	----------

**Project Mitigation Plan****Supporting documentation on completed measures**

**APPENDIX A: Related Federal Laws and Authorities****Airport Hazards**

General policy	Legislation	Regulation
It is HUD's policy to apply standards to prevent incompatible development around civil airports and military airfields.		24 CFR Part 51 Subpart D

1. To ensure compatible land use development, you must determine your site's proximity to civil and military airports. Is your project within 15,000 feet of a military airport or 2,500 feet of a civilian airport?

✓ No

Based on the response, the review is in compliance with this section. Document and upload the map showing that the site is not within the applicable distances to a military or civilian airport below

Yes

**Screen Summary****Compliance Determination**

The project site is not within 15,000 feet of a military airport or 2,500 feet of a civilian airport. The project is in compliance with Airport Hazards requirements.

**Supporting documentation**

[A12\\_Airport Hazards Map.pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

✓ No

**Coastal Barrier Resources**

General requirements	Legislation	Regulation
HUD financial assistance may not be used for most activities in units of the Coastal Barrier Resources System (CBRS). See 16 USC 3504 for limitations on federal expenditures affecting the CBRS.	Coastal Barrier Resources Act (CBRA) of 1982, as amended by the Coastal Barrier Improvement Act of 1990 (16 USC 3501)	

**1. Is the project located in a CBRS Unit?**

✓ No

Document and upload map and documentation below.

Yes

**Screen Summary****Compliance Determination**

This project is not located in a CBRS Unit. Therefore, this project has no potential to impact a CBRS Unit and is in compliance with the Coastal Barrier Resources Act.

**Supporting documentation**

[A14 Coastal Barrier Resources System \(CBRS\) Mapper Validation.pdf](#)

[A13 CBRS Map.pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

✓ No



## Flood Insurance

General requirements	Legislation	Regulation
Certain types of federal financial assistance may not be used in floodplains unless the community participates in National Flood Insurance Program and flood insurance is both obtained and maintained.	Flood Disaster Protection Act of 1973 as amended (42 USC 4001-4128)	24 CFR 50.4(b)(1) and 24 CFR 58.6(a) and (b); 24 CFR 55.1(b).

**1. Does this project involve financial assistance for construction, rehabilitation, or acquisition of a mobile home, building, or insurable personal property?**

No. This project does not require flood insurance or is excepted from flood insurance.

✓ Yes

**2. Upload a FEMA/FIRM map showing the site here:**

[A26 FEMA Map\(2\).pdf](#)

[A26 FEMA Map.pdf](#)

The Federal Emergency Management Agency (FEMA) designates floodplains. The [FEMA Map Service Center](#) provides this information in the form of FEMA Flood Insurance Rate Maps (FIRMs). For projects in areas not mapped by FEMA, use the best available information to determine floodplain information. Include documentation, including a discussion of why this is the best available information for the site. Provide FEMA/FIRM floodplain zone designation, panel number, and date within your documentation.

**Is the structure, part of the structure, or insurable property located in a FEMA-designated Special Flood Hazard Area?**

✓ No

Based on the response, the review is in compliance with this section.

Yes

**4. While flood insurance is not mandatory for this project, HUD strongly recommends that all insurable structures maintain flood insurance under the National Flood Insurance Program (NFIP). Will flood insurance be required as a mitigation measure or condition?**

Yes

✓ No

**Screen Summary****Compliance Determination**

This project does not occur in a floodplain as shown in FEMA Flood Panel 12109C0314J, effective 12/07/2018. The structure or insurable property is not located in a FEMA-designated Special Flood Hazard Area. While flood insurance may not be mandatory in this instance, HUD recommends that all insurable structures maintain flood insurance under the National Flood Insurance Program (NFIP). The project is in compliance with flood insurance requirements.

**Supporting documentation**

[A26\\_FEMA Map\(1\).pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

✓ No

**Air Quality**

General requirements	Legislation	Regulation
The Clean Air Act is administered by the U.S. Environmental Protection Agency (EPA), which sets national standards on ambient pollutants. In addition, the Clean Air Act is administered by States, which must develop State Implementation Plans (SIPs) to regulate their state air quality. Projects funded by HUD must demonstrate that they conform to the appropriate SIP.	Clean Air Act (42 USC 7401 et seq.) as amended particularly Section 176(c) and (d) (42 USC 7506(c) and (d))	40 CFR Parts 6, 51 and 93

**1. Does your project include new construction or conversion of land use facilitating the development of public, commercial, or industrial facilities OR five or more dwelling units?**

Yes

✓ No

Based on the response, the review is in compliance with this section.

**Screen Summary****Compliance Determination**

Based on the project description, this project includes no activities that would require further evaluation under the Clean Air Act. The project is in compliance with the Clean Air Act.

**Supporting documentation**

[A6 Air Quality US EPA Green Book PM 25 \(2012\).pdf](#)

[A11 Air Quality US EPA Green Book FL Whole or Part County Nonattainment Status.pdf](#)

[A10 Air Quality US EPA Green Book Nitrogen Dioxide \(1971\).pdf](#)

[A9 Air Quality US EPA Green Book Carbon Monoxide \(1971\).pdf](#)

[A8 Air Quality US EPA Green Book Lead \(2008\).pdf](#)

[A7 Air Quality US EPA Green Book Sulfur Dioxide \(2010\).pdf](#)

[A5 Air Quality US EPA Green Book 8 Hour Air Ozone \(2015\).pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

2657-Juarez-Ave

St Augustine, FL

900000010382558

✓ No

**Coastal Zone Management Act**

General requirements	Legislation	Regulation
Federal assistance to applicant agencies for activities affecting any coastal use or resource is granted only when such activities are consistent with federally approved State Coastal Zone Management Act Plans.	Coastal Zone Management Act (16 USC 1451-1464), particularly section 307(c) and (d) (16 USC 1456(c) and (d))	15 CFR Part 930

**1. Is the project located in, or does it affect, a Coastal Zone as defined in your state Coastal Management Plan?**

✓ Yes

No

**2. Does this project include new construction, conversion, major rehabilitation, or substantial improvement activities?**

✓ Yes

No

**3. Has this project been determined to be consistent with the State Coastal Management Program?**

✓ Yes, without mitigation

Based on the response, the review is in compliance with this section. Document and upload all documents used to make your determination below.

Yes, with mitigation

No, project must be canceled.

**Screen Summary****Compliance Determination**

Florida's coastal zone spans in various coastal bordering communities covering the entire State. While St. Johns County is contiguous to state water bodies, the project is significantly inland and not within a coastal barrier. The project has no potential to impact a CBRS Unit and is in compliance with the Coastal Barrier Resources Act and does not require state review.

**Supporting documentation**

[A14\\_Coastal Barrier Resources System \(CBRS\) Mapper Validation\(1\).pdf](#)

[A13\\_CBRS Map\(1\).pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

✓ No

**Contamination and Toxic Substances**

General requirements	Legislation	Regulations
It is HUD policy that all properties that are being proposed for use in HUD programs be free of hazardous materials, contamination, toxic chemicals and gases, and radioactive substances, where a hazard could affect the health and safety of the occupants or conflict with the intended utilization of the property.		24 CFR 58.5(i)(2) 24 CFR 50.3(i)

**1. Evaluate the site for contamination. Were any on-site or nearby toxic, hazardous, or radioactive substances found that could affect the health and safety of project occupants or conflict with the intended use of the property?**

✓ No

**Explain:**

Per the EPA NEP Assist Mapping Tool, no contamination was found onsite. See the map found in the supporting documents section.

Based on the response, the review is in compliance with this section.

Yes

Check here if an ASTM Phase I Environmental Site Assessment (ESA) report was utilized. [Note: HUD regulations does not require an ASTM Phase I ESA report for single family homes]

**Screen Summary****Compliance Determination**

On-site or nearby toxic, hazardous, or radioactive substances that could affect the health and safety of project occupants or conflict with the intended use of the property were not found. The project is in compliance with contamination and toxic substances requirements.

**Supporting documentation**

[A34\\_Contamination and Toxic Substances Map.pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

✓ No



**Endangered Species**

General requirements	ESA Legislation	Regulations
Section 7 of the Endangered Species Act (ESA) mandates that federal agencies ensure that actions that they authorize, fund, or carry out shall not jeopardize the continued existence of federally listed plants and animals or result in the adverse modification or destruction of designated critical habitat. Where their actions may affect resources protected by the ESA, agencies must consult with the Fish and Wildlife Service and/or the National Marine Fisheries Service ("FWS" and "NMFS" or "the Services").	The Endangered Species Act of 1973 (16 U.S.C. 1531 <i>et seq.</i> ); particularly section 7 (16 USC 1536).	50 CFR Part 402

**1. Does the project involve any activities that have the potential to affect species or habitats?**

- ✓ No, the project will have No Effect due to the nature of the activities involved in the project.

This selection is only appropriate if none of the activities involved in the project have potential to affect species or habitats. Examples of actions without potential to affect listed species may include: purchasing existing buildings, completing interior renovations to existing buildings, and replacing exterior paint or siding on existing buildings.

Based on the response, the review is in compliance with this section.

No, the project will have No Effect based on a letter of understanding, memorandum of agreement, programmatic agreement, or checklist provided by local HUD office

Yes, the activities involved in the project have the potential to affect species and/or habitats.

**Screen Summary****Compliance Determination**

This project will have No Effect on listed species based on a Clearance to Proceed with HUD Loan Project Requests letter from the USFWS Office dated February 15, 2024.

This project is in compliance with the Endangered Species Act.

**Supporting documentation**

[A15\\_Consistency Letter\\_US Fish and Wildlife.pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

✓ No

**Explosive and Flammable Hazards**

General requirements	Legislation	Regulation
HUD-assisted projects must meet Acceptable Separation Distance (ASD) requirements to protect them from explosive and flammable hazards.	N/A	24 CFR Part 51 Subpart C

**1. Is the proposed HUD-assisted project itself the development of a hazardous facility (a facility that mainly stores, handles or processes flammable or combustible chemicals such as bulk fuel storage facilities and refineries)?**

✓ No

Yes

**2. Does this project include any of the following activities: development, construction, rehabilitation that will increase residential densities, or conversion?**

✓ No

Based on the response, the review is in compliance with this section.

Yes

**Screen Summary****Compliance Determination**

After reviewing available County resources, a visual site review of properties in the surrounding area, and a GIS map analysis, it has been determined that Limited Repair does not require this review. The project is in compliance with explosive and flammable hazard requirements as the project does not include development, construction, or rehabilitation that will increase residential densities. Based on the project description the project includes no activities that would require further evaluation under this section. The project is in compliance with explosive and flammable hazard requirements.

**Supporting documentation**

[A22 HUD Fact Sheet Final Propane Rule - 24 CFR Part 51 Subpart C.pdf](#)  
[A21 Storage Tanks within 1 Mile Radius.pdf](#)

[A20\\_Storage Tank Contamination Monitoring.pdf](#)  
[A19\\_Storage Tank Analysis.pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

✓ No

**Farmlands Protection**

General requirements	Legislation	Regulation
The Farmland Protection Policy Act (FPPA) discourages federal activities that would convert farmland to nonagricultural purposes.	Farmland Protection Policy Act of 1981 (7 U.S.C. 4201 et seq.)	<a href="#">7 CFR Part 658</a>

**1. Does your project include any activities, including new construction, acquisition of undeveloped land or conversion, that could convert agricultural land to a non-agricultural use?**

Yes

✓ No

If your project includes new construction, acquisition of undeveloped land or conversion, explain how you determined that agricultural land would not be converted:

Based on the response, the review is in compliance with this section. Document and upload all documents used to make your determination below.

**Screen Summary****Compliance Determination**

This project does not include any activities that could potentially convert agricultural land to a non-agricultural use. The project is in compliance with the Farmland Protection Policy Act.

**Supporting documentation**

[A24\\_Soil Survey\\_Farmland.pdf](#)

[A23\\_Zoning Map.pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

✓ No

**Floodplain Management**

General Requirements	Legislation	Regulation
Executive Order 11988, Floodplain Management, requires federal activities to avoid impacts to floodplains and to avoid direct and indirect support of floodplain development to the extent practicable.	Executive Order 11988	24 CFR 55

**1. Do any of the following exemptions apply? Select the applicable citation? [only one selection possible]**

- 55.12(c)(3)
- 55.12(c)(4)
- 55.12(c)(5)
- 55.12(c)(6)
- 55.12(c)(7)
- 55.12(c)(8)
- 55.12(c)(9)
- 55.12(c)(10)
- 55.12(c)(11)

☒ None of the above

**2. Upload a FEMA/FIRM map showing the site here:**

[A26\\_FEMA\\_Map\(2\).pdf](#)  
[A26\\_FEMA\\_Map.pdf](#)

The Federal Emergency Management Agency (FEMA) designates floodplains. The FEMA Map Service Center provides this information in the form of FEMA Flood Insurance Rate Maps (FIRMs). For projects in areas not mapped by FEMA, use **the best available information** to determine floodplain information. Include documentation, including a discussion of why this is the best available information for the site.

**Does your project occur in a floodplain?**

☒ No

Based on the response, the review is in compliance with this section.

Yes

**Screen Summary**

**Compliance Determination**

This project does not occur in a floodplain. The project is in compliance with Executive Order 11988.

**Supporting documentation**

[A26\\_FEMA Map\(3\).pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

✓ No

## Historic Preservation

General requirements	Legislation	Regulation
Regulations under Section 106 of the National Historic Preservation Act (NHPA) require a consultative process to identify historic properties, assess project impacts on them, and avoid, minimize, or mitigate adverse effects	Section 106 of the National Historic Preservation Act (16 U.S.C. 470f)	36 CFR 800 "Protection of Historic Properties" <a href="https://www.govinfo.gov/content/pkg/CFR-2012-title36-vol3/pdf/CFR-2012-title36-vol3-part800.pdf">https://www.govinfo.gov/content/pkg/CFR-2012-title36-vol3/pdf/CFR-2012-title36-vol3-part800.pdf</a>

### Threshold

#### Is Section 106 review required for your project?

- No, because the project consists solely of activities listed as exempt in a Programmatic Agreement (PA ). (See the PA Database to find applicable PAs.)
- ✓ No, because the project consists solely of activities included in a No Potential to Cause Effects memo or other determination [36 CFR 800.3(a)(1)].
- Yes, because the project includes activities with potential to cause effects (direct or indirect).

#### Threshold (b). Document and upload the memo or explanation/justification of the other determination below:

The request for review was submitted to the Florida State Historic Preservation Office on December 20, 2023. There was no determination for need for additional review of the submitted project/ project site address.

Based on the response, the review is in compliance with this section.

### Screen Summary

#### Compliance Determination

Based on the project description the project has No Potential to Cause Effects. The project is in compliance with Section 106.

#### Supporting documentation

[A29b\\_Miccosukee Tribe Request.pdf](#)



[A29\\_Coushatta Tribe Request.pdf](#)

[A28\\_Clearinghouse Review Request.pdf](#)

[A27\\_State historic Preservation Office Request.pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

✓ No

**Noise Abatement and Control**

General requirements	Legislation	Regulation
HUD's noise regulations protect residential properties from excessive noise exposure. HUD encourages mitigation as appropriate.	Noise Control Act of 1972  General Services Administration Federal Management Circular 75-2: "Compatible Land Uses at Federal Airfields"	Title 24 CFR 51 Subpart B

**1. What activities does your project involve? Check all that apply:**

New construction for residential use

☒ Rehabilitation of an existing residential property

NOTE: For modernization projects in all noise zones, HUD encourages mitigation to reduce levels to acceptable compliance standards. See 24 CFR 51 Subpart B for further details. The definition of "modernization" is determined by program office guidance.

A research demonstration project which does not result in new construction or reconstruction

An interstate land sales registration

Any timely emergency assistance under disaster assistance provision or appropriations which are provided to save lives, protect property, protect public health and safety, remove debris and wreckage, or assistance that has the effect of restoring facilities substantially as they existed prior to the disaster  
None of the above

**Screen Summary****Compliance Determination**

The project is modernization or minor rehabilitation of an existing residential property. The project will include standardized noise attenuation measures. The project is in compliance with HUD's Noise regulation.

**Supporting documentation**

[A32\\_DNL Calculator.pdf](#)

[A31b\\_FAA Airport Master Record \(Noise\).pdf](#)

[A31\\_Airport Noise Contours.pdf](#)

[A30\\_Potential Noise Generator Map.pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

✓ No

**Sole Source Aquifers**

General requirements	Legislation	Regulation
<b>The Safe Drinking Water Act of 1974 protects drinking water systems which are the sole or principal drinking water source for an area and which, if contaminated, would create a significant hazard to public health.</b>	Safe Drinking Water Act of 1974 (42 U.S.C. 201, 300f et seq., and 21 U.S.C. 349)	40 CFR Part 149

**1. Does the project consist solely of acquisition, leasing, or rehabilitation of an existing building(s)?**

✓ Yes

Based on the response, the review is in compliance with this section.

No

**Screen Summary****Compliance Determination**

Based on the project description, the project consists of activities that are unlikely to have an adverse impact on groundwater resources. The project is in compliance with Sole Source Aquifer requirements.

**Supporting documentation**

[A33\\_Sole Source Acquifers.pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

✓ No

**Wetlands Protection**

General requirements	Legislation	Regulation
Executive Order 11990 discourages direct or indirect support of new construction impacting wetlands wherever there is a practicable alternative. The Fish and Wildlife Service's National Wetlands Inventory can be used as a primary screening tool, but observed or known wetlands not indicated on NWI maps must also be processed. Off-site impacts that result in draining, impounding, or destroying wetlands must also be processed.	Executive Order 11990	24 CFR 55.20 can be used for general guidance regarding the 8 Step Process.

**1. Does this project involve new construction as defined in Executive Order 11990, expansion of a building's footprint, or ground disturbance? The term "new construction" shall include draining, dredging, channelizing, filling, diking, impounding, and related activities and any structures or facilities begun or authorized after the effective date of the Order**

✓ No

Based on the response, the review is in compliance with this section.

Yes

**Screen Summary****Compliance Determination**

Based on the project description this project includes no activities that would require further evaluation under this section. The project is in compliance with Executive Order 11990.

**Supporting documentation**

[A35\\_Wetlands Map\\_NEPAAssist.pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

✓ No

**Wild and Scenic Rivers Act**

General requirements	Legislation	Regulation
The Wild and Scenic Rivers Act provides federal protection for certain free-flowing, wild, scenic and recreational rivers designated as components or potential components of the National Wild and Scenic Rivers System (NWSRS) from the effects of construction or development.	The Wild and Scenic Rivers Act (16 U.S.C. 1271-1287), particularly section 7(b) and (c) (16 U.S.C. 1278(b) and (c))	36 CFR Part 297

**1. Is your project within proximity of a NWSRS river?**

✓ No

Yes, the project is in proximity of a Designated Wild and Scenic River or Study Wild and Scenic River.

Yes, the project is in proximity of a Nationwide Rivers Inventory (NRI) River.

**Screen Summary****Compliance Determination**

This project is not within proximity of a NWSRS river. The project is in compliance with the Wild and Scenic Rivers Act.

**Supporting documentation****Are formal compliance steps or mitigation required?**

Yes

✓ No

**Environmental Justice**

General requirements	Legislation	Regulation
Determine if the project creates adverse environmental impacts upon a low-income or minority community. If it does, engage the community in meaningful participation about mitigating the impacts or move the project.	Executive Order 12898	

HUD strongly encourages starting the Environmental Justice analysis only after all other laws and authorities, including Environmental Assessment factors if necessary, have been completed.

1. Were any adverse environmental impacts identified in any other compliance review portion of this project's total environmental review?

Yes

✓ No

Based on the response, the review is in compliance with this section.

**Screen Summary****Compliance Determination**

The project offers equal access to safe and healthy housing to all, providing access to affordable, accessible quality housing free of a hazard to resident's health. Additionally, the County through this project continues its work to achieve inclusive, sustainable communities free from discrimination. No adverse environmental impacts were identified in the project's total environmental review. The project is in compliance with Executive Order 12898.

**Supporting documentation**

[A18\\_Environmental Justice Census Tract 21301 Profile.pdf](#)

[A17\\_Environmental Justice Census Tracts 021301.pdf](#)

[A16\\_Environmental Justice Screening Map.pdf](#)

**Are formal compliance steps or mitigation required?**

Yes

2657-Juarez-Ave

St Augustine, FL

900000010382558

✓ No