SIZE	MANUFACTURER		MO	DEL		ENG.	CONTR.
	PIPE						
Ductile Iron Pipe (Lining: Cement mortar w/NSF-61 se	ealcoat for PW & RW), Domestic	Manufacture					
	American Cast Iron Pipe Co.	Fastite Joint					
4" & Larger	McWayne	Tyton Joint					
	U.S. Pipe	Tyton Joint					
PVC Pressure Pipe - DR18, C900-16, Color-coded: B	LUE-Water, GREEN-Sewer, PUI	RPLE-Reuse,	Domestic I	Manufact	<u>ure</u>		
	Diamond Plastics		W	S	R		
	JM Eagle	_	W	S	R		
4" - 12"	National Pipe & Plastics	_	W	S	R		
	Westlake Pipe & Fittings	_	W	S	R		
	Sanderson Pipe		W	S	R		
PVC Pressure Pipe - DR18, C900-16, Color-coded: B		RPLE-Reuse,		Manufact	ure		
	JM Eagle	_	W	S	R		
16"	National Pipe & Plastics	_	W	S	R		
	Westlake Pipe & Fittings		W	S	R		
PVC Pressure Pipe - DR25, C900-16, Color-coded: B	LUE-Water, GREEN-Sewer, PUI	RPLE-Reuse,	Domestic I	Manufact	<u>ure</u>		
	JM Eagle	_	W	S	R		
20" - 36"	National Pipe & Plastics	_	W	S	R		
	Westlake Pipe & Fittings		W	S	R		
HDPE Pressure Pipe - DIPS ONLY, PE 4710, DR11,	C906, Color-coded: BLUE-Water	; GREEN-Se	wer, PURP	LE-Reus	se, Domestic Ma	nufacture	
4" - 24"	Flying W	_	W	S	R		
	JM Eagle		W	S	R		
	Performance Pipe		W	S	 R		
4" - 36"	Pipeline Plastics		w	s	 R		
	WL Plastics	_		s	— R		
Fusible PVC - DR18, Color-coded: BLUE-Water, GR		_			K		
4" -24" (NOTE: Use restrictions apply. See Section	EER-Sewel, I UNI LE-Reuse						
2.2.1 of this manual.)	Underground Solutions		W	S	R		
PVC Gravity Sewer Pipe - SDR26 only, Color-coded:	CDFFN Sawar	_		s	IX		
1 ve Gravity Sewer ripe - SDR20 only, Color-coded.	Diamond Plastics						
	JM Eagle						
4" - 15"	National Pipe & Plastics	N/A					
T - 13	Westlake Pipe & Fittings	1 N / / 1					
	1 0						
	Sanderson Pipe						

Page 1 of 11 January 2023

SIZE	MANUFACTURER		MODEL	ENG.	CONTR.
Polyethylene Tubing, PE 4710, AWWA C901, S	SDR9, CTS, Color-coded: BLUE-V	Vater, GREEN	N-Sewer, PURPLE-Reuse, Domest	ic manufacture.	
2" & Smaller	WL Plastics		W S R		
	Endot		W S R		
Stainless Steel Pipe, 316L, Schedule 40. Domes	stic manufacture preferred.				
	Brismet				
	SeAH Steel				
1/2" - 12"	Texas Pipe & Supply	N/A			
	Sun Mark Stainless				
	Felker Brothers				
Brass Pipe, ASTM B43, Standard O61, Schedule		manufacture p	oreferred.		
	Merit Brass				
1/2" - 12"	Matco Norca	N/A			
	McMaster-Carr				
Casing Pipe, Steel, 0.25" ASTM A-36, 35,000ps					
Varies	To be submitted	D IOC			
	FITT	INGS			
Brass Fittings, Threaded, ASTM B584, 250lb, N	•				
. (21)	Lansdale Valve	27.			
1/2" - 2"	Merit Brass	NA			
	McMaster-Carr				
Stainless Steel Fittings, 316 SS, 150 lb FLG or t	•	eferred.			
3" - 12"	Merit Brass				
If fabricated, MUST match ANSI/AWWA	Texas Pipe & Supply	NA			
C110/A21.10 dimensions.	Matco Norca				
Ductile Iron Fitting, MJ, C153, Class 350 (Lini	ng: Cement mortar w/NSF-61 sealco	oat for PW &	RW; epoxy for FM) Domestic man	nufacture preferred.	
	Tyler Union				
	Star Pipe Products				
3" - 36"	Sigma Corporation				
	SIP				
	US Pipe				

Page 2 of 11 January 2023

SIZE	MANUFACTURER	MODEL	ENG.	CONTR.
Ductile Iron Fitting, FLG, Flat Face Flanged (L	ining: Cement mortar w/NSF-61 sealco	at for PW & RW; epoxy for FM) Domestic m	nanufacture preferre	<u>d.</u>
	Tyler Union			
211 2611 (250 ')	Star Pipe Products			
3" - 36" (250 psi) ANSI/AWWA C110/A21.10 Dimensions	Sigma Corporation			
ANSI/AW WA C110/A21.10 Difficusions	SIP			
	US Pipe			
Lining for DI Forcemain Fittings				
	Induron Coatings	Protecto 401		
NA	Permox	CTF		
	Tnemec	Pota Pox Series 20		
PVC Fittings for Gravity Sewer, SDR26 & Mo	olded only, ASTM D-3034, Domestic ma	anufacture.		
	Multi-fittings/HARCO			
4" - 12"	Westlake Pipe/Plastic Trends	H-Series		
	GPK-Heavy Wall			
Detectable Tape, 5 mil thickness, Color-coded:	BLUE-Water, GREEN-Sewer, PURPL	E-Reuse.		
	Pro-Line			
3"	Christy's			
	Harris			
HDPE Stiffeners, 14 gauge, 18-8 Type 304SS				
	Cascade	CPS		
Varies	JCM	230		
	Ford	Insert 5x		
Tapping Sleeve, Stainless Steel, Size on Size tap	s shall be pre-approved.			
3" Tap & Larger	JCM	Model 432, SS		
4" - 8" (250 psi)	Romac	SST (for DI & PVC)		
10" - 24" (200 psi)	Romac	SST-H (for HDPE)		
4" - 24" pipe; 3" - 12" tap	Ford Meter Box	FAST-xxx-x-style for DI and PVC		
4" - 24" pipe; 3" - 24" tap	Ford Meter Box	FTSS-xxx-x-style for DI and PVC		
4" - 24" pipe; 3" - 12" tap	Ford Meter Box	FASTP-xxx-x-style for HDPE		
4" - 24" pipe; 3" - 24" tap	Ford Meter Box	FTSSP-xxx-x-style for HDPE		
4" - 24" pipe; 4" - 12" tap	Cascade	CST-EX		
4"-30"	TPS	Triple Tap		

Page 3 of 11 January 2023

SIZE	MANUFACTURER	MODEL	ENG.	CONTR.
Tapping Saddle, Stainless Steel for Sewer				
	JCM Industries	502 Series		
	A.Y. McDonald	73875 AWWA tap (PVC & DI)		
4" - 12" pipe; 2" tap	TPS	Series T3		
	Ford Meter Box	FS313		
	Smith-Blair	325		
Tapping Saddle, Potable and Reclaimed Water Service	(PVC & DI)			
	JCM Industries	406 Series		
411 1211	A.Y. McDonald	73875 AWWA tap		
4" - 12" pipe; 3/4" - 2" tap	Ford Meter Box	FC202-xxx-TAP Q		
	Smith-Blair	317		

VALVES

Tag, 316 SS (5 lines: Valve size, type, service,	direction and # of turns, and year is	nstalled)	
2"	Big City Mfr		
2	Wagco	"less anchor"	
Ball Valve, 316SS, 1000 WOG, threaded			
	Jamesbury	33R	
	Matco Norca	20SSTHM	
1" - 2"	Merit Brass	KV210FP	
	FNW	100A	
· · · · · · · ·	Apollo	76F-100-A	
Corporation Stop			
1/2" - 1"	A.Y. McDonald	74704B	
/2" - 1"	Ford Meter Box	F1000-xx-NL	
1-1/4" - 2"	A.Y. McDonald	74704B	
1-1/4 - 2	Ford Meter Box	"less anchor" 33R 20SSTHM KV210FP 100A 76F-100-A	
Curb Stop, Straight Ball Yoke Valve			
3/4" w/threaded lockring	Ford Meter Box	B94-324W-NL	
5/4 W/tilleaded lockring	A.Y. McDonald	76102WY-22 (1 x 3/4 x 2)	
111/41 4 - 4 11	Ford Meter Box	B94-344W-NL	
" w/threaded lockring	A. Y. McDonald	76102WY-22 (1 x 1 x 4)	
Curb Stop Branch Assembly, Straight Ball Ye	<u>oke</u>		
1" x 3/4"	Ford Meter Box	UVBS49-42W-NL	
	A.Y. McDonald	709U2CW	

Page 4 of 11 January 2023

SIZE	MANUFACTURER	MODEL	ENG.	CONTR.
Curb Stop, w/Flange				
1-1/2"	Ford Meter Box	BF43-666W-NL		
1-1/2	A. Y. McDonald	76100MW-22		
2"	Ford Meter Box	BF43-777W-NL		
2	A. Y. McDonald	76100MW-22		
Gate Valve, MJ x MJ, C515, Class 250, 316SS Hard	ware			
	Mueller	A-2361 RWGV		
4" - 24"	VSI Waterworks	GVI		
4" - 24" 	M&H/Kennedy/Clow	7561		
	American Flow Control	2500 w/ or w/o Alpha restrained joint		
Gate Valve, FLG x FLG, C515, Class 250, NRS, 31	6SS Hardware			
	Mueller	A-2362 RWGV		
4" - 24"	VSI Waterworks	GVII		
4 - 24	M&H/Kennedy/Clow	7561		
	American Flow Control	2500		
Tapping Valve, FLG x MJ, C515, 316SS Hardware				
4" - 24"	M&H	7950-01		
3" - 12"	Mueller	T-2362		
16" - 24"	Mueller	T-2361		
4" - 24"	American Flow Control	Series 2500		
Valve Box and Cover, Cast Iron, 2-Piece Screw type	e, ASTM A48 Grade 30B, (Cover t	o be stamped "WATER", "SEWER", or "REUSE")		
	Sigma	VB26 (1-8 for adjustable range)		
ATT A 1'- 4 11	SIP	Series 6000		
ALL Adjustable	Star	VB-0001		
	McWane (Tyler Union)	32U-6850 or 6860		
Valve Locate Marker				
	3M	1403-XR (BLUE-Water)		
3"	3M	1404-XR (GREEN-Sewer)		
	3M	1408-XR (PURPLE-Reuse)		
Insert-a-Valve		,		
4" - 8"	DOMAG	310 Sleeve w/361 valve		
10" - 12"	ROMAC	311 Sleeve w/358 valve		
16" - 36"	Submittal & SJCUD Approval	Special Case		

Page 5 of 11 January 2023

SIZE	MANUFACTURER	MODEL	ENG.	CONTR.
<u>Marker</u>	•		•	
	Pro-Mark Utility Supply	PM-301		
	Rhino Markers	TriView		
	ACCESSORIES & AP	PURTENANCES		
Air Release/Vacuum Valve				
	ARI	Model D-040 (Water)		
2"	ARI	Model D-025L (Sewer)		
	H-Tec	Model 989-00 PA66 (Sewer)		
ARV Cover with Lock				
30"	EJ	COM320159A01		
30	Composite Access Products	CapOne-30 A-1BK30S4-S05DMDSS-H1		
ARV Enclosure				
	Water Plus Corp	107-131632		
Fire Hydrant				
	American Flow Control	5-1/4" Waterous Pacer		
5-1/4" pumper and 2 hose ports	Alpha restrained joint pref	erred		
3-1/4 pumper and 2 nose ports	Mueller	Super Centurion 250 A423		
	M&H	Style 129 or 129S		
Flushing Assembly, Programmable				
2"	Mueller	Hydro-Guard HG-1 Basic/S		
Meter Box, HDPE (3/4" & 1" meter)				
Water-Single (Black body, Blue lid)		37C-12-3T		
Water-Double (Black body, Blue lid)	DFW	38C-14-3F(2)		
Reuse-Single (Purple body, Purple lid)	D1 W	37C5-12-5T		
Reuse-Double (Purple body, Purple lid)		38C5-14-5F(2)		
Meter Box, HDPE (1½" & 2" meter)				
Water (Black body, Blue lid)	DFW	65C-14-3T		
Reuse (Purple body, Purple lid)	DI W	65C5-14-5T		
Meter Box, Polymer Concrete, Tier 8 Loading, 12	2" Vertical Extensions Available (See	Wetwell Access Cover)		
48"W x 72"L x 48"D	Armorcast Products	A6001506TAP48MT		
48"W x 96"L x 48"D	Aimoreast i foducts	A6001449TAP48MT		

Page 6 of 11 January 2023

SIZE	MANUFACTURER	MODEL	ENG.	CONTR.
External Joint Restraint, ASTM A536, Ra	ted for pipe pressure, may be split, Domesti	c Manufacture Preferred		
3" - 54"	EBAA Iron (US Mfr)	Megalug 1100 (DI)		
3" - 12"	EBAA Iron (US Mfr)	Megalug 2000PV (HDPE)		
3" - 36"	EBAA Iron (US Mfr)	Megalug 2000PV (PVC)		
3" - 24"	Sigma	One-Lok SLCE (PVC)		
3" - 36"	Sigma	One-Lok SLDE (DI)		
3" - 48"	Star	Stargrip 3000 (DI)		
3" - 36"	Star	Stargrip 4000 (PVC)		
4" - 24"	SIP	EZ Grip PTPVCDI (DI)		
4" - 24"	SIP	EZ Grip PTPDFxx (PVC)		
4" - 36"	Ford Meter Box/Uniflange	UFR-1300-C (PVC)		
4" - 36"	Ford Meter Box/Uniflange	Series 1500 (PVC & HDPE)		
4" - 36"	Ford Meter Box/Uniflange	Series 1400 (DI)		
Bell Restraint, ASTM A536, Rated for pipe	e pressure, may be split, Domestic Manufact	ture Preferred		
4" - 12"	EBAA Iron	1900 (PVC)		
16" - 54"	EBAA Iron	2800 (PVC)		
3" - 36"	EBAA Iron	1700 (DI)		
4" - 48"	Sigma	PWP-C (PVC)		
3" - 48"	Sigma	SLDEH		
4" - 16"	SIP	EZ Grip PTPVCDI (DI)		
4" - 24"	SIP	EZ Grip PTPVCxx (PVC)		
4" - 12"	Star	Series 1100C (DI & PVC-Serration)		
4" - 12"	Star	Series 1100G2C (DI & PVC-Serration)		
4" - 24"	Ford Meter Box/Uniflange	Series 1350 or 1355 (PVC)		
3" - 48"	Ford Meter Box/Uniflange	Series 1450 (DI)		
Restrained Coupling, Domestic Manufactu	re Preferred			
4" - 36"	Ford Meter Box/Uniflange	RCDD (DI x DI)		
4" - 36"	Ford Meter Box/Uniflange	RCPP (PVC x PVC)		
4" - 36"	Ford Meter Box/Uniflange	RCDP (DI x PVC)		
4" - 54"	EBAA Iron	3800 Mega-Coupling		
Internal Joint Restraint, Domestic Manufa		· · ·		
4" - 12"	Rieberlok	(PVC)		
4" - 24"	U.S. Pipe	Field Lok 350		
4" - 24"	American	Fast-Grip (DI)		

Page 7 of 11 January 2023

SIZE	MANUFACTURER	MODEL	ENG.	CONTR.
Flanged Coupling Adapter, Domestic Manua	facture Preferred, 316SS FLG Bolt Kit			
3" - 12"	EBAA Iron	MegaFlange 1000 (DI)		
3" - 36"	EBAA Iron	MegaFlange 2100 (PVC & DI)		
3" - 36"	Sigma	SigmaFlange (PVC & DI)		
3" - 36"	Star	3200 (DI)		
3" - 36"	Star	4200 (PVC)		
4" - 12"	Romac	Alpha FC		
3" - 12"	Ford Meter Box/Uniflange	Series 200 (DI)		
16" - 36"	Ford Meter Box/Uniflange	Series 400 (DI)		
14" - 24"	Ford Meter Box/Uniflange	Series 900-C (PVC)		
Full Circle Repair Clamp	•			
3" - 12"	Smith-Blair	226		
16" - 24"	Smith-Blair	263		
3" - 8"	Ford Meter Box	FS1 Series		
10" - 16"	Ford Meter Box	FS2 Series		
20" - 30"	Ford Meter Box	FS3 Series		
3" - 12"	JCM Industries	131 or 161 Series		
3" - 12"	Mueller Co.	540		
3" - 24"	Mueller Co.	200		
Tracing Wire - Color coded				
Open cut, 10 gauge, 30 mil coating	Copperhead	SuperFlex 1030		
	Pro-line	Pro-trace HF-CCS PE30		
HDD, 10 gauge, 45 mil coating	Copperhead	SoloShot EHS 1045		
	Pro-line	Pro-trace Copper PE45		
Casing Spacer				
4" - 24"	Ford Meter Box/Uniflange	UFRCS 1390 and 1300		
	Cascade Waterworks	CCS		
Varies	GPT/EnPro Ind	SS type or Ranger II		
	CCI Pipe	CSS or CSP		
Service Saddle				
	Cascade Waterworks Mfg.	CDS2/CDS-LD		
	A.Y. McDonald	4835A		
2" & smaller	Ford Meter Box	FC-202, 202BS		
Z & SHRITET	Smith Blair	317		
	Mueller	DR 25		
	Power Seal	3417, 3409	_	

Page 8 of 11 January 2023

SIZE	MANUFACTURER	MODEL	ENG.	CONTR.
MJ to MJ Adapter, Epoxy Coating, SBR Gaskets				
4" - 36"	Infact Products	Foster Adapter		
3" - 36"	Sigma	MJ Connector		
3" - 24"	SIP	EZ Grip-CDMJEZ		
3" - 36"	Star	MJ x MJ Adapter		

STRUCTURES

STRUCTURES					
Precast Concrete					
	Standard Precast				
4' or 5' in diameter for manholes	Rinker Materials				
6' - 12' in diameter for pump station wetwells	Old Castle Precast				
	American Precast Structure	es			
Polymer Concrete					
4' or 5' in diameter for manholes 6' - 12' in diameter for pump station wetwells	Armorock	NA			
Concrete Sealant, 12 mil thick (Not needed on Po	lymer Concrete Structures)				
NA	ConSeal	CS-55 Water Based Acrylic Coating			
N/A	Pro-Tec Coatings	EW1-Aquapoxy			
Joint Sealant, for manholes and wetwells					
	ConSeal	CS-102			
2" x 1"	Press-Seal	Pro-Stik			
	Del Zotto	Sure Seal			
Exterior Joint Sealant Tape, for manholes and w	etwells				
	GPT	Boa-Tape			
	ConSeal	CS-212 (0.065" thick)			
6"	Press-Seal	EZ-Wrap Rubber			
	GPT	Riser-Wrap			
	CCI Pipe	WrapidSeal			
Flexible Connector					
8" - 15"	Kor-N-Seal	S-106-xx			
Manhole Liner (Not needed on Polymer Concrete	Structures)				
	Raven				
N/A	Sprayroq Spray Wall				
IVA	GML Green Monster				
	Spectrashield				

Page 9 of 11 January 2023

SIZE	MANUFACTURER	MODEL	ENG.	CONTR.
Manhole Adjustment Rings, Interlocking Grade Rings	w/ Sealant			
	Cretex	Pro-ring		
1/2" - 6"	Lad Tech	HDPE Rings		
1/2 - 0	EJ	Infra-riser		
	Oldcastle Precast	MHGR		
Frame and Cover, 30" opening				
TOP: ST. JOHNS COUNTY	US Foundry	655 ring & U cover		
CENTER: SEWER	Composite Access Products	CapOne-30 A-1BK30S4-S05DMDSS-H1		
BOTTOM: FLORIDA	(Use on all lined manholes)	CapOlic-30 A-1BK3034-303DMD35-H1		
Inside Drop Bowl				
8" - 18"	Duran, Inc.	Reliner		

LIFT STATIONS

Mueller/Milliken/Pratt A-2602-6-02B1		LIFT STE		
Check Valve, DI Body, 316SS Hardware, Flat Face Flanged, lever & spring, rubber disc facing GA Industries 340-S "Ludlow"	Odor Control			
GA Industries 340-S "Ludlow"		Hivent		
VSI Waterworks CVI Mueller/Milliken/Pratt A-2602-6-02B1 CVS,6000A,F1,S11, S2NB, NBR, SB16, LS CVS,6000A,F1,S11, S2NB,NBR, SB16, LS CVS,6000A,F1,S11, S2NB,NBR, SB16, LS CVS,6000A,F1,S11, S2NB,NBR, SB16, LS CVS,6000A,F1,S11, S2NB,NBR,SB16, LS CVS,600A,F1,S11, S2NB,PSC,F1,S18,F1,SCB,F1,S1,SCB,F1,SCB,F1,SCB,F1,SCB,F1,SCB,F1,SCB,F1,SCB,F1	Check Valve, DI Body, 316SS Hardwar	re, Flat Face Flanged, lever & spring, rubber d	lisc facing	
Mueller/Milliken/Pratt DeZurik/APCO CVS,6000A,F1,S11, S2NB, NBR, SB16, LS	3" - 12"	GA Industries	340-S "Ludlow"	
Mueller/Milliken/Pratt A-2602-6-02B1 DeZurik/APCO CVS,6000A,F1,S11, S2NB, NBR, SB16, LS		VSI Waterworks	CVI	
Plug Valve, DI Body, 316SS Hardware, Flat Face Flanged, 2" operating nut GA Industries VSI Waterworks PVIF 3" - 12" DeZurik/APCO PEC 285 psi Mueller/Milliken/Pratt 611 Paint, Oil-based Rust-oleum Rust-oleum Rust-oleum Purple-RGB: 186/156/197; Hex: #ba9cc5 Wetwell Liner (Not needed on Polymer Concrete Structures) Raven 404, 405, 405FS GML Green Monster Spectrashield Agru-Liner Approved for wetwells ONLY Pressure Gauge, (2" x 1/4") NPT BTM SS, 0-100 PSI/KPA, Glycerin filled		Mueller/Milliken/Pratt	A-2602-6-02B1	
GA Industries B517 ECO-Centric		DeZurik/APCO	CVS,6000A,F1,S11, S2NB, NBR, SB16, LS	
VSI Waterworks PVIF	Plug Valve, DI Body, 316SS Hardware.	, Flat Face Flanged, 2" operating nut		
3" - 12" Paint, Oil-based Rust-oleum Rust-oleum Rust-oleum Rust-oleum Paint (Not needed on Polymer Concrete Structures) Raven Agru-Liner Agru-Liner Approved for wetwells ONLY PEC 285 psi BEC 285		GA Industries	B517 ECO-Centric	
Mueller/Milliken/Pratt 611 Paint, Oil-based Rust-oleum 7524402 - Safety Blue 7738402 - Hunter Green Purple-RGB: 186/156/197; Hex: #ba9cc5 Wetwell Liner (Not needed on Polymer Concrete Structures) Raven 404, 405, 405FS GML Green Monster Liner Extreme Spectrashield Agru-Liner Approved for wetwells ONLY Pressure Gauge, (2" x 1/4") NPT BTM SS, 0-100 PSI/KPA, Glycerin filled		VSI Waterworks	PVIF	
Rust-oleum 7524402 - Safety Blue 7738402 - Hunter Green Purple-RGB: 186/156/197; Hex: #ba9cc5 Wetwell Liner (Not needed on Polymer Concrete Structures) Raven 404, 405, 405FS	3" - 12"	DeZurik /APCO	PEC 285 psi	
Rust-oleum 7524402 - Safety Blue Rust-oleum 7738402 - Hunter Green Purple-RGB: 186/156/197; Hex: #ba9cc5 Wetwell Liner (Not needed on Polymer Concrete Structures) Raven Agru-Liner Approved for wetwells ONLY Pressure Gauge, (2" x 1/4") NPT BTM SS, 0-100 PSI/KPA, Glycerin filled		Mueller/Milliken/Pratt	611	
Rust-oleum 7738402 - Hunter Green Purple-RGB: 186/156/197; Hex: #ba9cc5 Wetwell Liner (Not needed on Polymer Concrete Structures) Raven 404, 405, 405FS GML Green Monster Liner Extreme Spectrashield Agru-Liner Approved for wetwells ONLY Pressure Gauge, (2" x 1/4") NPT BTM SS, 0-100 PSI/KPA, Glycerin filled	Paint, Oil-based			
Purple-RGB: 186/156/197; Hex: #ba9cc5 Wetwell Liner (Not needed on Polymer Concrete Structures) Raven 404, 405, 405FS		Rust-oleum	7524402 - Safety Blue	
Wetwell Liner (Not needed on Polymer Concrete Structures) Raven 404, 405, 405FS		Rust-oleum	7738402 - Hunter Green	
Raven 404, 405, 405FS OML Green Monster Liner Extreme Spectrashield Agru-Liner Approved for wetwells ONLY Pressure Gauge, (2" x 1/4") NPT BTM SS, 0-100 PSI/KPA, Glycerin filled			Purple-RGB: 186/156/197; Hex: #ba9cc5	
NA GML Green Monster Liner Extreme Spectrashield Agru-Liner Approved for wetwells ONLY Pressure Gauge, (2" x 1/4") NPT BTM SS, 0-100 PSI/KPA, Glycerin filled	Wetwell Liner (Not needed on Polymer	Concrete Structures)		
Spectrashield Agru-Liner Approved for wetwells ONLY Pressure Gauge, (2" x 1/4") NPT BTM SS, 0-100 PSI/KPA, Glycerin filled		Raven	404, 405, 405FS	
Spectrashield Agru-Liner Approved for wetwells ONLY Pressure Gauge, (2" x 1/4") NPT BTM SS, 0-100 PSI/KPA, Glycerin filled		GML Green Monster	Liner Extreme	
Pressure Gauge, (2" x 1/4") NPT BTM SS, 0-100 PSI/KPA, Glycerin filled		Spectrashield		
		Agru-Liner	Approved for wetwells ONLY	
2" x 1/4" NPT Winters PFQ2205R1R5	Pressure Gauge, (2" x 1/4") NPT BTM	SS, 0-100 PSI/KPA, Glycerin filled		
	2" x 1/4" NPT	Winters	PFQ2205R1R5	

Page 10 of 11 January 2023

SIZE	MANUFACTURER	MODEL	ENG.	CONTR.
Pressure Transducer				
Water (0-100 psi)	Wika	C-10		
Wastewater (0-100 psi)	Wika	UPT-20 w/ Ashcroft/330 All-Welded Flush Mini Seal		
	Vega	B82.IXDSDAGGSZXAIJX		
Backflow Preventer, Reduced Pressure Zone (RPZ)	<u> </u>			
3/4" - 2"	Wilkins	975XL2		
Freeze Protection Valve				
1/4"	Apollo	40LF-000-FPV1		
1/2"	Robert Shaw	FP45		
Submersible Pump				
	Flygt			
	Grundfos			
	Sulzer			
Wetwell Access Cover, Angle Frame, 300 lb/sf Loadin	g, Double Door, Hold open arms	s, 316SS hardware		
-	USF Fabrication	APD300		
	Halliday Products, Inc.	S1R		
Concrete Fiber Reinforcement, Macro Synthetic Fibe	<u>r</u>			
	Sika	FiberMesh 650		
4 lb/CY	Euclid	Tuf-Strand SF		
	Forta Ferro	NA		
Engineer and Contractor Certification				
As the Engineer of Record, I certify that only the appro-	ved materials listed above are pro	posed to be installed for this project.		
	•			
Print Name	Date	Signature and Seal		
		2		
As the General Contractor, I certify that only the approx	ved materials listed above are pro	mosed to be installed for this project		
and deficial confidence, i certify that only the approv	rea materials fisied above are pro	posed to be instance for this project.		
Print Name	Date	Signature and Seal		
I IIII INAIIIC	Date	Signature and Sear		

Page 11 of 11 January 2023